
SDRL - Share Buybacks in the period Jul 8 to Jul 12 2024

Market Place: NYSE / Currency: USD

Volume	Price per share	Total	Date and Time (NY)
10	52.16	521.60	20240708 09:36:41.880000 -0400s
90	52.15	4,693.50	20240708 09:36:41.880000 -0400s
90	52.15	4,693.50	20240708 09:36:41.880000 -0400s
10	52.15	521.50	20240708 09:36:41.880000 -0400s
167	52.13	8,705.71	20240708 09:59:32.254000 -0400s
100	52.13	5,213.00	20240708 09:59:32.254000 -0400s
200	52.13	10,426.00	20240708 09:59:32.254000 -0400s
100	52.13	5,213.00	20240708 09:59:32.254000 -0400s
233	52.13	12,146.29	20240708 09:59:32.254000 -0400s
200	52.13	10,426.00	20240708 09:59:32.254000 -0400s
100	52.13	5,213.00	20240708 09:59:32.254000 -0400s
100	52.13	5,213.00	20240708 09:59:32.254000 -0400s
100	52.1	5,210.00	20240708 09:37:21.037000 -0400s
100	52.1	5,210.00	20240708 09:37:21.037000 -0400s
600	52.1	31,260.00	20240708 09:37:21.037000 -0400s
100	52.1	5,210.00	20240708 09:37:21.037000 -0400s
100	52.05	5,205.00	20240708 09:48:03.640000 -0400s
6	52.05	312.30	20240708 09:48:03.640000 -0400s
218	52.05	11,346.90	20240708 09:48:03.640000 -0400s
9	52.05	468.45	20240708 09:48:03.640000 -0400s
267	52.05	13,897.35	20240708 09:48:03.640000 -0400s
100	52	5,200.00	20240708 09:42:15.367000 -0400s
100	52	5,200.00	20240708 09:42:15.367000 -0400s
100	52	5,200.00	20240708 09:42:15.367000 -0400s
76	52	3,952.00	20240708 09:42:15.367000 -0400s
24	52	1,248.00	20240708 09:42:15.367000 -0400s
100	51.97	5,197.00	20240708 10:03:12.904000 -0400s
100	51.97	5,197.00	20240708 10:03:12.904000 -0400s
100	51.97	5,197.00	20240708 10:03:12.904000 -0400s
100	51.84	5,184.00	20240708 09:37:35.941000 -0400s
1	51.82	51.82	20240708 10:22:48.751000 -0400s
4	51.82	207.28	20240708 10:22:48.751000 -0400s
145	51.82	7,513.90	20240708 10:22:48.751000 -0400s
150	51.82	7,773.00	20240708 10:22:48.751000 -0400s
100	51.82	5,182.00	20240708 10:22:48.751000 -0400s
100	51.82	5,182.00	20240708 10:22:48.751000 -0400s
100	51.82	5,182.00	20240708 10:22:48.751000 -0400s
100	51.73	5,173.00	20240708 10:16:24.803000 -0400s
200	51.73	10,346.00	20240708 10:16:24.803000 -0400s

100	51.73	5,173.00	20240708 10:16:24.803000 -0400s
100	51.73	5,173.00	20240708 10:16:24.803000 -0400s
100	51.73	5,173.00	20240708 10:16:24.803000 -0400s
100	51.73	5,173.00	20240708 10:16:24.803000 -0400s
100	51.73	5,173.00	20240708 10:16:24.803000 -0400s
100	51.73	5,173.00	20240708 10:16:24.803000 -0400s
100	51.73	5,173.00	20240708 10:16:24.803000 -0400s
100	51.7	5,170.00	20240708 10:19:00.479000 -0400s
208	51.66	10,745.28	20240708 10:33:03.767000 -0400s
400	51.66	20,664.00	20240708 10:46:39.644000 -0400s
100	51.66	5,166.00	20240708 10:46:39.644000 -0400s
100	51.66	5,166.00	20240708 10:46:39.644000 -0400s
100	51.66	5,166.00	20240708 10:46:39.644000 -0400s
100	51.66	5,166.00	20240708 10:46:39.644000 -0400s
100	51.66	5,166.00	20240708 10:46:39.644000 -0400s
100	51.66	5,166.00	20240708 10:46:39.644000 -0400s
100	51.66	5,166.00	20240708 10:46:39.644000 -0400s
100	51.63	5,163.00	20240708 10:35:51.142000 -0400s
200	51.63	10,326.00	20240708 10:35:51.142000 -0400s
200	51.63	10,326.00	20240708 10:35:51.142000 -0400s
100	51.63	5,163.00	20240708 10:35:51.142000 -0400s
200	51.63	10,326.00	20240708 10:35:51.142000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
200	51.57	10,314.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
79	51.57	4,074.03	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
100	51.57	5,157.00	20240708 11:25:48.723000 -0400s
21	51.57	1,082.97	20240708 11:25:48.723000 -0400s
179	51.55	9,227.45	20240708 11:00:34.803000 -0400s
21	51.55	1,082.55	20240708 11:00:34.803000 -0400s
100	51.55	5,155.00	20240708 11:00:34.804000 -0400s
10	51.52	515.20	20240708 10:58:41.317000 -0400s
390	51.52	20,092.80	20240708 10:58:41.317000 -0400s
100	51.52	5,152.00	20240708 10:58:41.318000 -0400s
100	51.44	5,144.00	20240708 11:08:22.990000 -0400s
100	51.44	5,144.00	20240708 11:08:22.990000 -0400s
100	51.44	5,144.00	20240708 11:08:22.990000 -0400s
100	51.44	5,144.00	20240708 11:08:22.990000 -0400s
100	51.4	5,140.00	20240708 11:34:52.758000 -0400s

100	51.4	5,140.00	20240708 11:34:52.758000 -0400s
100	51.4	5,140.00	20240708 11:34:52.758000 -0400s
100	51.4	5,140.00	20240708 11:34:52.758000 -0400s
100	51.4	5,140.00	20240708 11:34:52.758000 -0400s
100	51.3	5,130.00	20240708 11:37:34.409000 -0400s
100	51.3	5,130.00	20240708 11:37:34.409000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
400	51.21	20,484.00	20240708 15:16:29.049000 -0400s
300	51.21	15,363.00	20240708 15:16:29.049000 -0400s
98	51.21	5,018.58	20240708 15:16:29.049000 -0400s
300	51.21	15,363.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
40	51.21	2,048.40	20240708 15:16:29.049000 -0400s
60	51.21	3,072.60	20240708 15:16:29.049000 -0400s
200	51.21	10,242.00	20240708 15:16:29.049000 -0400s
50	51.21	2,560.50	20240708 15:16:29.049000 -0400s
50	51.21	2,560.50	20240708 15:16:29.049000 -0400s
50	51.21	2,560.50	20240708 15:16:29.049000 -0400s
200	51.21	10,242.00	20240708 15:16:29.049000 -0400s
50	51.21	2,560.50	20240708 15:16:29.049000 -0400s
200	51.21	10,242.00	20240708 15:16:29.049000 -0400s
200	51.21	10,242.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
75	51.21	3,840.75	20240708 15:16:29.049000 -0400s
25	51.21	1,280.25	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
43	51.21	2,202.03	20240708 15:16:29.049000 -0400s
60	51.21	3,072.60	20240708 15:16:29.049000 -0400s
40	51.21	2,048.40	20240708 15:16:29.049000 -0400s
60	51.21	3,072.60	20240708 15:16:29.049000 -0400s
15	51.21	768.15	20240708 15:16:29.049000 -0400s
5	51.21	256.05	20240708 15:16:29.049000 -0400s
15	51.21	768.15	20240708 15:16:29.049000 -0400s
10	51.21	512.10	20240708 15:16:29.049000 -0400s
15	51.21	768.15	20240708 15:16:29.049000 -0400s
15	51.21	768.15	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
35	51.21	1,792.35	20240708 15:16:29.049000 -0400s
65	51.21	3,328.65	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
15	51.21	768.15	20240708 15:16:29.049000 -0400s
50	51.21	2,560.50	20240708 15:16:29.049000 -0400s
300	51.21	15,363.00	20240708 15:16:29.049000 -0400s
600	51.21	30,726.00	20240708 15:16:29.049000 -0400s

200	51.21	10,242.00	20240708 15:16:29.049000 -0400s
200	51.21	10,242.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
57	51.21	2,918.97	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
100	51.21	5,121.00	20240708 15:16:29.049000 -0400s
120	51.18	6,141.60	20240708 13:54:32.029000 -0400s
100	51.18	5,118.00	20240708 13:54:32.029000 -0400s
175	51.18	8,956.50	20240708 13:54:32.029000 -0400s
120	51.17	6,140.40	20240708 13:54:32.029000 -0400s
225	51.17	11,513.25	20240708 13:54:32.029000 -0400s
100	51.17	5,117.00	20240708 13:54:32.029000 -0400s
100	51.17	5,117.00	20240708 13:54:32.029000 -0400s
248	51.16	12,687.68	20240708 13:54:32.029000 -0400s
100	51.15	5,115.00	20240708 11:48:47.961000 -0400s
100	51.15	5,115.00	20240708 11:48:47.961000 -0400s
100	51.15	5,115.00	20240708 11:48:47.961000 -0400s
100	51.15	5,115.00	20240708 11:49:03.121000 -0400s
100	51.15	5,115.00	20240708 11:49:03.121000 -0400s
252	51.15	12,889.80	20240708 13:54:32.029000 -0400s
90	51.15	4,603.50	20240708 14:41:12.045000 -0400s
69	51.15	3,529.35	20240708 14:41:12.045000 -0400s
41	51.15	2,097.15	20240708 14:41:12.045000 -0400s
59	51.15	3,017.85	20240708 14:41:12.046000 -0400s
41	51.15	2,097.15	20240708 14:41:12.046000 -0400s
200	51.14	10,228.00	20240708 11:49:03.122000 -0400s
500	51.14	25,570.00	20240708 15:18:34.992000 -0400s
100	51.14	5,114.00	20240708 15:18:34.992000 -0400s
200	51.14	10,228.00	20240708 15:18:34.992000 -0400s
500	51.14	25,570.00	20240708 15:18:34.992000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
15	51.13	766.95	20240708 14:23:30.264000 -0400s
45	51.13	2,300.85	20240708 14:23:30.265000 -0400s
15	51.13	766.95	20240708 14:23:30.264000 -0400s
55	51.13	2,812.15	20240708 14:23:30.265000 -0400s
90	51.13	4,601.70	20240708 14:23:30.265000 -0400s
10	51.13	511.30	20240708 14:23:30.265000 -0400s
45	51.13	2,300.85	20240708 14:23:30.264000 -0400s
25	51.13	1,278.25	20240708 14:23:30.265000 -0400s
80	51.13	4,090.40	20240708 14:23:30.265000 -0400s
145	51.13	7,413.85	20240708 14:23:30.265000 -0400s

75	51.13	3,834.75	20240708 14:23:30.265000 -0400s
34	51.13	1,738.42	20240708 14:23:30.265000 -0400s
266	51.13	13,600.58	20240708 14:23:30.265000 -0400s
24	51.13	1,227.12	20240708 14:23:30.265000 -0400s
184	51.13	9,407.92	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
54	51.13	2,761.02	20240708 14:23:30.265000 -0400s
46	51.13	2,351.98	20240708 14:23:30.265000 -0400s
131	51.13	6,698.03	20240708 14:23:30.265000 -0400s
69	51.13	3,527.97	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
35	51.13	1,789.55	20240708 14:23:30.265000 -0400s
65	51.13	3,323.45	20240708 14:23:30.265000 -0400s
165	51.13	8,436.45	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
400	51.13	20,452.00	20240708 14:23:30.265000 -0400s
400	51.13	20,452.00	20240708 14:23:30.265000 -0400s
15	51.13	766.95	20240708 14:23:30.265000 -0400s
200	51.13	10,226.00	20240708 14:23:30.265000 -0400s
220	51.13	11,248.60	20240708 14:23:30.265000 -0400s
300	51.13	15,339.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
200	51.13	10,226.00	20240708 14:23:30.265000 -0400s
200	51.13	10,226.00	20240708 14:23:30.265000 -0400s
200	51.13	10,226.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
200	51.13	10,226.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
15	51.13	766.95	20240708 14:23:30.265000 -0400s
85	51.13	4,346.05	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
92	51.13	4,703.96	20240708 14:23:30.265000 -0400s
300	51.13	15,339.00	20240708 14:23:30.265000 -0400s
200	51.13	10,226.00	20240708 14:23:30.265000 -0400s
200	51.13	10,226.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
400	51.13	20,452.00	20240708 14:23:30.265000 -0400s
100	51.13	5,113.00	20240708 14:23:30.265000 -0400s
2	51.11	102.22	20240708 14:45:50.302000 -0400s
2	51.11	102.22	20240708 14:46:07.870000 -0400s

100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
200	51.11	10,222.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
100	51.11	5,111.00	20240708 14:46:07.870000 -0400s
200	51.11	10,222.00	20240708 14:46:07.871000 -0400s
400	51.11	20,444.00	20240708 14:46:07.871000 -0400s
400	51.11	20,444.00	20240708 14:46:07.871000 -0400s
100	51.11	5,111.00	20240708 14:46:07.871000 -0400s
400	51.11	20,444.00	20240708 14:46:07.871000 -0400s
100	51.11	5,111.00	20240708 14:46:07.871000 -0400s
100	51.11	5,111.00	20240708 14:46:07.871000 -0400s
100	51.11	5,111.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
100	51.11	5,111.00	20240708 14:51:14.556000 -0400s
100	51.11	5,111.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
22	51.11	1,124.42	20240708 14:51:14.556000 -0400s
200	51.11	10,222.00	20240708 14:51:14.556000 -0400s
278	51.11	14,208.58	20240708 14:51:14.556000 -0400s
100	51.11	5,111.00	20240708 15:48:06.615000 -0400s
100	51.11	5,111.00	20240708 15:48:06.615000 -0400s
6	51.11	306.66	20240708 15:48:06.615000 -0400s
100	51.11	5,111.00	20240708 15:48:06.616000 -0400s
100	51.1	5,110.00	20240708 15:48:06.615000 -0400s
21	51.1	1,073.10	20240708 15:48:06.619000 -0400s
200	51.09	10,218.00	20240708 15:02:39.064000 -0400s
100	51.09	5,109.00	20240708 15:02:39.064000 -0400s
100	51.09	5,109.00	20240708 15:02:39.064000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
182	51.09	9,298.38	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s

206	51.09	10,524.54	20240708 15:28:48.590000 -0400s
12	51.09	613.08	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
13	51.09	664.17	20240708 15:28:48.590000 -0400s
87	51.09	4,444.83	20240708 15:28:48.590000 -0400s
126	51.09	6,437.34	20240708 15:28:48.590000 -0400s
74	51.09	3,780.66	20240708 15:28:48.590000 -0400s
139	51.09	7,101.51	20240708 15:28:48.590000 -0400s
61	51.09	3,116.49	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
200	51.09	10,218.00	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
88	51.09	4,495.92	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
300	51.09	15,327.00	20240708 15:28:48.590000 -0400s
12	51.09	613.08	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
34	51.09	1,737.06	20240708 15:28:48.590000 -0400s
300	51.09	15,327.00	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
185	51.09	9,451.65	20240708 15:28:48.590000 -0400s
66	51.09	3,371.94	20240708 15:28:48.590000 -0400s
33	51.09	1,685.97	20240708 15:28:48.590000 -0400s
67	51.09	3,423.03	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
15	51.09	766.35	20240708 15:28:48.590000 -0400s
85	51.09	4,342.65	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
15	51.09	766.35	20240708 15:28:48.590000 -0400s
85	51.09	4,342.65	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
200	51.09	10,218.00	20240708 15:28:48.590000 -0400s
100	51.09	5,109.00	20240708 15:28:48.590000 -0400s
200	51.09	10,218.00	20240708 15:28:48.590000 -0400s
200	51.09	10,218.00	20240708 15:28:48.590000 -0400s
15	51.09	766.35	20240708 15:28:48.591000 -0400s
100	51.09	5,109.00	20240708 15:46:25.587000 -0400s
12	51.09	613.08	20240708 15:48:22.074000 -0400s
225	51.09	11,495.25	20240708 15:48:22.074000 -0400s
225	51.09	11,495.25	20240708 15:48:22.074000 -0400s
98	51.08	5,005.84	20240708 14:46:07.871000 -0400s
2	51.08	102.16	20240708 14:46:07.871000 -0400s

100	51.08	5,108.00	20240708 15:28:48.591000 -0400s
100	51.08	5,108.00	20240708 15:46:25.587000 -0400s
200	51.08	10,216.00	20240708 15:46:25.587000 -0400s
100	51.08	5,108.00	20240708 15:46:25.587000 -0400s
100	51.08	5,108.00	20240708 15:46:25.587000 -0400s
43	51.08	2,196.44	20240708 15:48:23.500000 -0400s
1200	51.08	61,296.00	20240708 15:48:23.500000 -0400s
43	51.08	2,196.44	20240708 15:48:23.500000 -0400s
81	51.08	4,137.48	20240708 15:48:23.500000 -0400s
181	51.08	9,245.48	20240708 15:48:23.500000 -0400s
120	51.08	6,129.60	20240708 15:48:23.500000 -0400s
5	51.08	255.40	20240708 15:48:23.500000 -0400s
5	51.08	255.40	20240708 15:48:23.500000 -0400s
108	51.08	5,516.64	20240708 15:48:23.500000 -0400s
43	51.08	2,196.44	20240708 15:48:23.500000 -0400s
120	51.08	6,129.60	20240708 15:48:23.500000 -0400s
229	51.07	11,695.03	20240708 15:36:45.874000 -0400s
300	51.07	15,321.00	20240708 15:36:45.874000 -0400s
71	51.07	3,625.97	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.874000 -0400s
400	51.07	20,428.00	20240708 15:36:45.874000 -0400s
400	51.07	20,428.00	20240708 15:36:45.874000 -0400s
200	51.07	10,214.00	20240708 15:36:45.874000 -0400s
200	51.07	10,214.00	20240708 15:36:45.874000 -0400s
32	51.07	1,634.24	20240708 15:36:45.874000 -0400s
63	51.07	3,217.41	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.874000 -0400s
32	51.07	1,634.24	20240708 15:36:45.874000 -0400s
68	51.07	3,472.76	20240708 15:36:45.874000 -0400s
98	51.07	5,004.86	20240708 15:36:45.874000 -0400s
5	51.07	255.35	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.874000 -0400s
2	51.07	102.14	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.874000 -0400s
100	51.07	5,107.00	20240708 15:36:45.875000 -0400s
100	51.06	5,106.00	20240708 15:36:45.875000 -0400s
14	51.06	714.84	20240708 15:49:26.011000 -0400s
136	51.06	6,944.16	20240708 15:49:26.011000 -0400s
1151	51.06	58,770.06	20240708 15:49:26.011000 -0400s
3600	51.06	183,816.00	20240708 15:49:26.011000 -0400s
500	51.05	25,525.00	20240708 14:54:16.305000 -0400s
100	51.05	5,105.00	20240708 14:54:16.305000 -0400s

99	51.05	5,053.95	20240708 14:54:16.305000 -0400s
100	51.05	5,105.00	20240708 14:54:16.305000 -0400s
91	51.05	4,645.55	20240708 14:54:16.305000 -0400s
100	51.05	5,105.00	20240708 14:54:16.305000 -0400s
300	51.05	15,315.00	20240708 14:54:16.305000 -0400s
9	51.05	459.45	20240708 14:54:16.305000 -0400s
100	51.05	5,105.00	20240708 14:54:16.305000 -0400s
100	51.05	5,105.00	20240708 14:54:16.305000 -0400s
100	51.05	5,105.00	20240708 14:54:16.305000 -0400s
100	51.05	5,105.00	20240708 14:54:16.305000 -0400s
1	51.05	51.05	20240708 14:54:16.305000 -0400s
200	51.04	10,208.00	20240708 15:41:20.078000 -0400s
100	51.04	5,104.00	20240708 15:41:20.078000 -0400s
96	51.03	4,898.88	20240708 15:36:42.600000 -0400s
200	51.03	10,206.00	20240708 15:36:42.600000 -0400s
100	51.03	5,103.00	20240708 15:36:42.600000 -0400s
300	51.03	15,309.00	20240708 15:36:42.600000 -0400s
100	51.03	5,103.00	20240708 15:36:42.600000 -0400s
100	51.03	5,103.00	20240708 15:36:42.600000 -0400s
100	51.03	5,103.00	20240708 15:41:20.078000 -0400s
100	51.02	5,102.00	20240708 14:54:16.306000 -0400s
100	51.02	5,102.00	20240708 14:54:16.306000 -0400s
100	51.01	5,101.00	20240708 14:59:53.859000 -0400s
100	51.01	5,101.00	20240708 14:59:53.859000 -0400s
300	50.99	15,297.00	20240708 15:37:29.954000 -0400s
200	50.99	10,198.00	20240708 15:37:29.954000 -0400s
59	50.99	3,008.41	20240708 15:37:29.954000 -0400s
341	50.99	17,387.59	20240708 15:37:29.954000 -0400s
500	50.99	25,495.00	20240708 15:37:29.954000 -0400s
200	50.98	10,196.00	20240708 14:10:03.009000 -0400s
9	50.98	458.82	20240708 14:10:03.009000 -0400s
11	50.98	560.78	20240708 14:10:03.009000 -0400s
3	50.98	152.94	20240708 14:10:03.009000 -0400s
97	50.98	4,945.06	20240708 14:10:03.009000 -0400s
3	50.98	152.94	20240708 14:10:03.009000 -0400s
50	50.98	2,549.00	20240708 14:10:03.009000 -0400s
39	50.98	1,988.22	20240708 14:10:03.009000 -0400s
100	50.98	5,098.00	20240708 14:10:03.009000 -0400s
100	50.98	5,098.00	20240708 14:10:03.009000 -0400s
5	50.98	254.90	20240708 14:10:03.009000 -0400s
5	50.98	254.90	20240708 14:10:03.009000 -0400s
200	50.98	10,196.00	20240708 14:10:03.009000 -0400s
200	50.98	10,196.00	20240708 14:10:03.009000 -0400s
200	50.98	10,196.00	20240708 14:10:03.009000 -0400s
200	50.98	10,196.00	20240708 14:10:03.009000 -0400s
100	50.98	5,098.00	20240708 14:10:03.009000 -0400s

100	50.98	5,098.00	20240708 14:10:03.009000 -0400s
50	50.98	2,549.00	20240708 14:10:03.010000 -0400s
50	50.98	2,549.00	20240708 14:10:03.010000 -0400s
90	50.98	4,588.20	20240708 14:10:03.010000 -0400s
97	50.98	4,945.06	20240708 14:10:03.010000 -0400s
128	50.98	6,525.44	20240708 14:10:03.010000 -0400s
100	50.98	5,098.00	20240708 14:10:03.010000 -0400s
300	50.98	15,294.00	20240708 14:10:03.012000 -0400s
172	50.98	8,768.56	20240708 14:10:03.012000 -0400s
44	50.98	2,243.12	20240708 14:10:03.012000 -0400s
56	50.98	2,854.88	20240708 14:10:03.012000 -0400s
13	50.98	662.74	20240708 14:10:03.009000 -0400s
100	50.98	5,098.00	20240708 14:10:03.009000 -0400s
187	50.98	9,533.26	20240708 14:10:03.009000 -0400s
50	50.98	2,549.00	20240708 14:10:03.010000 -0400s
50	50.98	2,549.00	20240708 14:10:03.010000 -0400s
100	50.98	5,098.00	20240708 14:10:03.012000 -0400s
50	50.98	2,549.00	20240708 14:10:03.009000 -0400s
41	50.98	2,090.18	20240708 14:10:03.009000 -0400s
100	50.98	5,098.00	20240708 14:10:03.010000 -0400s
100	50.98	5,098.00	20240708 15:29:28.483000 -0400s
85	50.98	4,333.30	20240708 15:29:28.484000 -0400s
15	50.98	764.70	20240708 15:29:28.484000 -0400s
100	50.98	5,098.00	20240708 15:29:28.484000 -0400s
500	50.97	25,485.00	20240708 14:02:09.024000 -0400s
100	50.97	5,097.00	20240708 14:02:09.024000 -0400s
100	50.97	5,097.00	20240708 14:02:09.024000 -0400s
200	50.97	10,194.00	20240708 14:02:09.024000 -0400s
300	50.97	15,291.00	20240708 14:02:09.024000 -0400s
100	50.97	5,097.00	20240708 14:02:09.024000 -0400s
100	50.97	5,097.00	20240708 14:02:09.024000 -0400s
100	50.97	5,097.00	20240708 14:02:09.024000 -0400s
79	50.97	4,026.63	20240708 14:02:09.024000 -0400s
200	50.97	10,194.00	20240708 14:02:09.024000 -0400s
100	50.97	5,097.00	20240708 14:02:09.024000 -0400s
200	50.97	10,194.00	20240708 14:02:09.024000 -0400s
82	50.97	4,179.54	20240708 14:02:09.024000 -0400s
139	50.97	7,084.83	20240708 14:02:09.024000 -0400s
2	50.97	101.94	20240708 14:02:09.024000 -0400s
14	50.97	713.58	20240708 14:02:09.024000 -0400s
123	50.97	6,269.31	20240708 14:02:09.024000 -0400s
61	50.97	3,109.17	20240708 14:02:09.024000 -0400s
100	50.94	5,094.00	20240708 11:57:10.386000 -0400s
100	50.94	5,094.00	20240708 11:57:10.386000 -0400s
100	50.94	5,094.00	20240708 12:09:53.706000 -0400s
100	50.94	5,094.00	20240708 12:09:53.706000 -0400s

100	50.94	5,094.00	20240708 12:09:53.706000 -0400s
100	50.93	5,093.00	20240708 12:23:35.024000 -0400s
100	50.91	5,091.00	20240708 12:18:49.016000 -0400s
10	50.91	509.10	20240708 12:18:49.016000 -0400s
5	50.91	254.55	20240708 12:18:49.016000 -0400s
5	50.91	254.55	20240708 12:18:49.016000 -0400s
5	50.91	254.55	20240708 12:18:49.016000 -0400s
5	50.91	254.55	20240708 12:18:49.016000 -0400s
50	50.91	2,545.50	20240708 12:18:49.016000 -0400s
100	50.91	5,091.00	20240708 12:21:59.391000 -0400s
100	50.91	5,091.00	20240708 12:21:59.391000 -0400s
200	50.91	10,182.00	20240708 12:21:59.391000 -0400s
29	50.88	1,475.52	20240708 12:17:27.684000 -0400s
100	50.87	5,087.00	20240708 12:00:26.981000 -0400s
100	50.87	5,087.00	20240708 12:00:26.981000 -0400s
99	50.87	5,036.13	20240708 12:00:26.981000 -0400s
1	50.87	50.87	20240708 12:00:26.981000 -0400s
86	50.86	4,373.96	20240708 12:13:29.828000 -0400s
100	50.86	5,086.00	20240708 13:06:08.011000 -0400s
100	50.86	5,086.00	20240708 13:06:08.011000 -0400s
100	50.86	5,086.00	20240708 13:17:02.011000 -0400s
300	50.86	15,258.00	20240708 13:17:02.011000 -0400s
9	50.86	457.74	20240708 13:17:02.011000 -0400s
9	50.86	457.74	20240708 13:17:02.011000 -0400s
100	50.86	5,086.00	20240708 13:17:02.011000 -0400s
10	50.86	508.60	20240708 13:17:02.011000 -0400s
225	50.86	11,443.50	20240708 13:17:02.011000 -0400s
357	50.86	18,157.02	20240708 13:17:02.011000 -0400s
300	50.86	15,258.00	20240708 13:24:15.199000 -0400s
100	50.86	5,086.00	20240708 13:24:15.199000 -0400s
100	50.85	5,085.00	20240708 13:17:02.011000 -0400s
100	50.85	5,085.00	20240708 13:17:02.011000 -0400s
204	50.85	10,373.40	20240708 13:17:02.011000 -0400s
100	50.85	5,085.00	20240708 13:17:02.011000 -0400s
100	50.85	5,085.00	20240708 13:24:15.199000 -0400s
240	50.84	12,201.60	20240708 13:17:02.011000 -0400s
264	50.84	13,421.76	20240708 13:17:02.011000 -0400s
204	50.84	10,371.36	20240708 13:17:02.011000 -0400s
2	50.84	101.68	20240708 13:26:46.631000 -0400s
2	50.84	101.68	20240708 13:28:34.511000 -0400s
96	50.84	4,880.64	20240708 13:29:01.414000 -0400s
200	50.84	10,168.00	20240708 13:29:01.414000 -0400s
148	50.84	7,524.32	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
152	50.84	7,727.68	20240708 13:29:01.414000 -0400s
400	50.84	20,336.00	20240708 13:29:01.414000 -0400s

100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
131	50.84	6,660.04	20240708 13:29:01.414000 -0400s
200	50.84	10,168.00	20240708 13:29:01.414000 -0400s
45	50.84	2,287.80	20240708 13:29:01.414000 -0400s
9	50.84	457.56	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
700	50.84	35,588.00	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
94	50.84	4,778.96	20240708 13:29:01.414000 -0400s
6	50.84	305.04	20240708 13:29:01.414000 -0400s
9	50.84	457.56	20240708 13:29:01.414000 -0400s
9	50.84	457.56	20240708 13:29:01.414000 -0400s
51	50.84	2,592.84	20240708 13:29:01.414000 -0400s
18	50.84	915.12	20240708 13:29:01.414000 -0400s
13	50.84	660.92	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
115	50.84	5,846.60	20240708 13:29:01.414000 -0400s
100	50.84	5,084.00	20240708 13:29:01.414000 -0400s
100	50.83	5,083.00	20240708 12:41:40.942000 -0400s
7	50.83	355.81	20240708 12:41:40.944000 -0400s
7	50.83	355.81	20240708 12:41:40.944000 -0400s
1	50.83	50.83	20240708 12:41:40.944000 -0400s
23	50.83	1,169.09	20240708 12:41:40.944000 -0400s
100	50.83	5,083.00	20240708 12:41:40.944000 -0400s
77	50.83	3,913.91	20240708 12:41:40.944000 -0400s
100	50.83	5,083.00	20240708 12:41:40.944000 -0400s
100	50.83	5,083.00	20240708 12:41:40.944000 -0400s
100	50.83	5,083.00	20240708 12:41:40.944000 -0400s
100	50.83	5,083.00	20240708 12:41:40.944000 -0400s
9	50.83	457.47	20240708 12:41:40.944000 -0400s
300	50.83	15,249.00	20240708 12:43:03.283000 -0400s
90	50.83	4,574.70	20240708 12:43:03.285000 -0400s
48	50.82	2,439.36	20240708 12:41:40.944000 -0400s
10	50.82	508.20	20240708 12:41:40.944000 -0400s
100	50.82	5,082.00	20240708 12:43:03.285000 -0400s
100	50.82	5,082.00	20240708 12:43:03.285000 -0400s
10	50.82	508.20	20240708 12:43:03.285000 -0400s
225	50.81	11,432.25	20240708 12:41:40.944000 -0400s
204	50.81	10,365.24	20240708 12:41:40.944000 -0400s

100	50.81	5,081.00	20240708 12:41:40.944000 -0400s
100	50.81	5,081.00	20240708 12:43:03.285000 -0400s
100	50.81	5,081.00	20240708 13:29:01.415000 -0400s
100	50.8	5,080.00	20240708 12:32:16.658000 -0400s
100	50.8	5,080.00	20240708 12:32:16.658000 -0400s
100	50.8	5,080.00	20240708 12:32:16.659000 -0400s
204	50.8	10,363.20	20240708 12:41:40.944000 -0400s
220	50.8	11,176.00	20240708 12:41:40.944000 -0400s
9	50.8	457.20	20240708 12:41:40.944000 -0400s
300	50.8	15,240.00	20240708 12:43:03.285000 -0400s
100	50.8	5,080.00	20240708 12:58:41.120000 -0400s
92	50.8	4,673.60	20240708 12:58:41.120000 -0400s
8	50.8	406.40	20240708 12:58:41.120000 -0400s
94	50.8	4,775.20	20240708 12:58:41.120000 -0400s
206	50.8	10,464.80	20240708 12:58:41.120000 -0400s
100	50.8	5,080.00	20240708 12:58:41.120000 -0400s
80	50.8	4,064.00	20240708 12:58:41.121000 -0400s
20	50.8	1,016.00	20240708 12:58:41.121000 -0400s
100	50.8	5,080.00	20240708 12:58:41.122000 -0400s
300	50.8	15,240.00	20240708 13:01:20.191000 -0400s
200	50.8	10,160.00	20240708 13:01:20.191000 -0400s
48	50.8	2,438.40	20240708 13:01:20.191000 -0400s
100	50.8	5,080.00	20240708 13:01:20.191000 -0400s
100	50.8	5,080.00	20240708 13:01:20.191000 -0400s
200	50.8	10,160.00	20240708 13:01:20.191000 -0400s
552	50.8	28,041.60	20240708 13:01:20.191000 -0400s
100	50.8	5,080.00	20240708 13:01:20.191000 -0400s
200	50.8	10,160.00	20240708 13:01:20.191000 -0400s
4	50.79	203.16	20240708 12:41:40.944000 -0400s
252	50.79	12,799.08	20240708 12:41:40.944000 -0400s
100	50.79	5,079.00	20240708 13:01:20.191000 -0400s
100	50.76	5,076.00	20240708 12:24:24.458000 -0400s
100	50.75	5,075.00	20240708 12:27:58.218000 -0400s
100	50.58	5,058.00	20240709 09:30:06.445000 -0400s
100	50.35	5,035.00	20240709 09:33:41.823000 -0400s
50	50.35	2,517.50	20240709 09:33:41.823000 -0400s
50	50.35	2,517.50	20240709 09:33:41.823000 -0400s
100	50.35	5,035.00	20240709 09:33:41.823000 -0400s
50	50.35	2,517.50	20240709 09:33:41.823000 -0400s
100	50.35	5,035.00	20240709 09:33:41.823000 -0400s
50	50.35	2,517.50	20240709 09:33:41.823000 -0400s
50	50.35	2,517.50	20240709 09:33:41.823000 -0400s
100	50.35	5,035.00	20240709 09:33:41.823000 -0400s
50	50.35	2,517.50	20240709 09:33:41.823000 -0400s
50	50.35	2,517.50	20240709 09:33:41.823000 -0400s
84	50.11	4,209.24	20240709 09:40:11.987000 -0400s
7	50.11	350.77	20240709 09:40:11.987000 -0400s

100	50.11	5,011.00	20240709 09:40:11.987000 -0400s
100	50.11	5,011.00	20240709 09:40:11.987000 -0400s
9	50.11	450.99	20240709 09:40:11.987000 -0400s
100	50.11	5,011.00	20240709 09:40:11.987000 -0400s
120	50.2	6,024.00	20240709 10:00:11.746000 -0400s
10	50.2	502.00	20240709 10:00:11.746000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
41	50.22	2,059.02	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
28	50.22	1,406.16	20240709 10:05:08.968000 -0400s
14	50.22	703.08	20240709 10:05:08.968000 -0400s
72	50.22	3,615.84	20240709 10:05:08.968000 -0400s
86	50.22	4,318.92	20240709 10:05:08.968000 -0400s
29	50.22	1,456.38	20240709 10:05:08.968000 -0400s
95	50.22	4,770.90	20240709 10:05:08.968000 -0400s
5	50.22	251.10	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
59	50.22	2,962.98	20240709 10:05:08.968000 -0400s
300	50.22	15,066.00	20240709 10:05:08.968000 -0400s
58	50.22	2,912.76	20240709 10:05:08.968000 -0400s
13	50.22	652.86	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
100	50.22	5,022.00	20240709 10:05:08.968000 -0400s
98	50.21	4,920.58	20240709 10:05:08.969000 -0400s
2	50.21	100.42	20240709 10:05:08.969000 -0400s
100	50.17	5,017.00	20240709 10:05:09.055000 -0400s
33	50.2	1,656.60	20240709 10:13:28.666000 -0400s
67	50.2	3,363.40	20240709 10:13:28.666000 -0400s
57	50.2	2,861.40	20240709 10:13:28.666000 -0400s
67	50.2	3,363.40	20240709 10:13:28.666000 -0400s
43	50.2	2,158.60	20240709 10:13:28.666000 -0400s
100	50.2	5,020.00	20240709 10:13:28.666000 -0400s
100	50.19	5,019.00	20240709 10:15:31.681000 -0400s

93	50.19	4,667.67	20240709 10:15:31.681000 -0400s
7	50.19	351.33	20240709 10:15:31.681000 -0400s
100	50.19	5,019.00	20240709 10:15:31.681000 -0400s
100	50.19	5,019.00	20240709 10:15:31.681000 -0400s
100	50.42	5,042.00	20240709 10:23:55.990000 -0400s
100	50.42	5,042.00	20240709 10:23:55.990000 -0400s
100	50.42	5,042.00	20240709 10:23:55.990000 -0400s
100	50.42	5,042.00	20240709 10:23:55.990000 -0400s
100	50.42	5,042.00	20240709 10:23:55.990000 -0400s
111	50.42	5,596.62	20240709 10:23:55.990000 -0400s
89	50.42	4,487.38	20240709 10:23:55.990000 -0400s
100	50.41	5,041.00	20240709 10:23:55.992000 -0400s
100	50.41	5,041.00	20240709 10:23:55.992000 -0400s
100	50.78	5,078.00	20240709 10:40:43.092000 -0400s
124	50.78	6,296.72	20240709 10:40:43.092000 -0400s
100	50.78	5,078.00	20240709 10:40:43.092000 -0400s
100	50.78	5,078.00	20240709 10:40:43.093000 -0400s
20	50.78	1,015.60	20240709 10:40:43.093000 -0400s
80	50.78	4,062.40	20240709 10:40:43.093000 -0400s
76	50.78	3,859.28	20240709 10:40:43.093000 -0400s
100	50.78	5,078.00	20240709 10:40:43.093000 -0400s
100	50.78	5,078.00	20240709 10:40:43.093000 -0400s
200	50.78	10,156.00	20240709 10:40:43.093000 -0400s
100	50.78	5,078.00	20240709 10:40:43.093000 -0400s
100	50.78	5,078.00	20240709 10:40:43.093000 -0400s
100	50.78	5,078.00	20240709 10:40:43.093000 -0400s
100	50.79	5,079.00	20240709 10:51:24.366000 -0400s
34	50.79	1,726.86	20240709 10:51:24.366000 -0400s
66	50.79	3,352.14	20240709 10:51:24.366000 -0400s
10	50.79	507.90	20240709 10:51:24.366000 -0400s
100	50.79	5,079.00	20240709 10:51:24.366000 -0400s
90	50.79	4,571.10	20240709 10:51:24.366000 -0400s
100	50.79	5,079.00	20240709 10:51:24.366000 -0400s
86	50.79	4,367.94	20240709 10:51:24.366000 -0400s
14	50.79	711.06	20240709 10:51:24.366000 -0400s
4	50.79	203.16	20240709 10:51:24.366000 -0400s
100	50.79	5,079.00	20240709 10:51:24.366000 -0400s
24	50.79	1,218.96	20240709 10:51:24.366000 -0400s
100	50.79	5,079.00	20240709 10:51:24.366000 -0400s
72	50.79	3,656.88	20240709 10:51:24.366000 -0400s
100	50.69	5,069.00	20240709 10:59:02.345000 -0400s
100	50.69	5,069.00	20240709 10:59:02.345000 -0400s
100	50.69	5,069.00	20240709 10:59:02.345000 -0400s
100	50.69	5,069.00	20240709 10:59:02.345000 -0400s
100	50.61	5,061.00	20240709 11:07:35.264000 -0400s
88	50.62	4,454.56	20240709 11:07:35.264000 -0400s

12	50.62	607.44	20240709 11:07:35.264000 -0400s
200	50.63	10,126.00	20240709 11:12:11.975000 -0400s
100	50.63	5,063.00	20240709 11:12:11.975000 -0400s
46	50.63	2,328.98	20240709 11:12:11.975000 -0400s
100	50.63	5,063.00	20240709 11:12:11.975000 -0400s
54	50.63	2,734.02	20240709 11:12:11.975000 -0400s
252	50.52	12,731.04	20240709 11:31:21.095000 -0400s
248	50.53	12,531.44	20240709 11:31:21.095000 -0400s
100	50.56	5,056.00	20240709 11:31:21.095000 -0400s
120	50.56	6,067.20	20240709 11:31:21.095000 -0400s
80	50.57	4,045.60	20240709 11:31:21.095000 -0400s
252	50.81	12,804.12	20240709 11:52:49.050000 -0400s
204	50.81	10,365.24	20240709 11:52:49.050000 -0400s
120	50.83	6,099.60	20240709 11:52:49.050000 -0400s
120	50.83	6,099.60	20240709 11:52:49.050000 -0400s
100	50.84	5,084.00	20240709 11:52:49.050000 -0400s
100	50.84	5,084.00	20240709 11:52:49.050000 -0400s
132	50.84	6,710.88	20240709 11:52:49.050000 -0400s
120	50.84	6,100.80	20240709 11:52:49.050000 -0400s
182	50.85	9,254.70	20240709 11:52:49.050000 -0400s
1	50.85	50.85	20240709 11:52:49.050000 -0400s
1	50.85	50.85	20240709 11:52:49.050000 -0400s
66	50.85	3,356.10	20240709 11:52:49.050000 -0400s
1	50.85	50.85	20240709 11:52:49.050000 -0400s
43	50.81	2,184.83	20240709 11:59:00.484000 -0400s
5	50.82	254.10	20240709 11:59:00.484000 -0400s
204	50.83	10,369.32	20240709 11:59:00.484000 -0400s
157	50.83	7,980.31	20240709 11:59:00.484000 -0400s
200	50.83	10,166.00	20240709 11:59:00.484000 -0400s
15	50.84	762.60	20240709 11:59:00.484000 -0400s
83	50.84	4,219.72	20240709 11:59:00.484000 -0400s
1	50.84	50.84	20240709 11:59:00.484000 -0400s
5	50.84	254.20	20240709 11:59:00.484000 -0400s
12	50.84	610.08	20240709 11:59:00.484000 -0400s
1	50.84	50.84	20240709 11:59:00.484000 -0400s
14	50.84	711.76	20240709 11:59:00.484000 -0400s
60	50.84	3,050.40	20240709 11:59:00.484000 -0400s
100	50.78	5,078.00	20240709 12:03:12.688000 -0400s
100	50.78	5,078.00	20240709 12:03:12.688000 -0400s
100	50.7	5,070.00	20240709 12:20:39.862000 -0400s
100	50.7	5,070.00	20240709 12:20:39.862000 -0400s
100	50.7	5,070.00	20240709 12:20:39.863000 -0400s
100	50.7	5,070.00	20240709 12:20:39.863000 -0400s
100	50.7	5,070.00	20240709 12:20:39.863000 -0400s
100	50.7	5,070.00	20240709 12:20:39.863000 -0400s
100	50.7	5,070.00	20240709 12:20:39.863000 -0400s

100	50.7	5,070.00	20240709 12:20:39.863000 -0400s
18	50.73	913.14	20240709 12:41:18.580000 -0400s
1	50.74	50.74	20240709 12:41:18.581000 -0400s
35	50.75	1,776.25	20240709 12:41:18.581000 -0400s
11	50.75	558.25	20240709 12:41:18.581000 -0400s
12	50.76	609.12	20240709 12:41:18.582000 -0400s
5	50.76	253.80	20240709 12:41:18.582000 -0400s
24	50.79	1,218.96	20240709 12:44:09.070000 -0400s
1	50.79	50.79	20240709 12:44:09.070000 -0400s
40	50.79	2,031.60	20240709 12:44:09.070000 -0400s
18	50.8	914.40	20240709 12:44:09.071000 -0400s
48	50.8	2,438.40	20240709 12:44:09.072000 -0400s
29	50.8	1,473.20	20240709 12:44:09.072000 -0400s
23	50.8	1,168.40	20240709 12:44:09.072000 -0400s
100	50.81	5,081.00	20240709 12:44:09.072000 -0400s
9	50.81	457.29	20240709 12:44:09.072000 -0400s
5	50.81	254.05	20240709 12:44:09.072000 -0400s
18	50.81	914.58	20240709 12:44:09.072000 -0400s
100	50.87	5,087.00	20240709 12:48:30.938000 -0400s
100	50.87	5,087.00	20240709 12:48:30.938000 -0400s
11	50.88	559.68	20240709 12:48:30.938000 -0400s
19	50.88	966.72	20240709 12:48:30.938000 -0400s
100	50.88	5,088.00	20240709 12:48:30.938000 -0400s
100	50.8	5,080.00	20240709 12:48:37.125000 -0400s
100	50.8	5,080.00	20240709 12:48:37.125000 -0400s
100	50.8	5,080.00	20240709 12:48:37.125000 -0400s
200	50.8	10,160.00	20240709 12:48:37.125000 -0400s
100	50.8	5,080.00	20240709 12:48:37.125000 -0400s
100	51.1	5,110.00	20240709 13:08:39.619000 -0400s
204	51.1	10,424.40	20240709 13:08:39.619000 -0400s
7	51.1	357.70	20240709 13:08:39.619000 -0400s
25	51.1	1,277.50	20240709 13:08:39.620000 -0400s
100	51.03	5,103.00	20240709 13:09:24.055000 -0400s
100	51.03	5,103.00	20240709 13:09:24.055000 -0400s
200	51.03	10,206.00	20240709 13:09:24.055000 -0400s
200	51.03	10,206.00	20240709 13:09:24.055000 -0400s
100	50.94	5,094.00	20240709 13:17:05.580000 -0400s
100	50.94	5,094.00	20240709 13:17:05.580000 -0400s
100	50.94	5,094.00	20240709 13:17:05.580000 -0400s
100	50.83	5,083.00	20240709 13:24:11.667000 -0400s
100	50.83	5,083.00	20240709 13:24:11.667000 -0400s
100	50.83	5,083.00	20240709 13:24:11.667000 -0400s
100	50.79	5,079.00	20240709 13:27:59.223000 -0400s
100	50.79	5,079.00	20240709 13:27:59.223000 -0400s
100	50.79	5,079.00	20240709 13:27:59.223000 -0400s
100	50.71	5,071.00	20240709 13:40:42.951000 -0400s

100	50.71	5,071.00	20240709 13:40:42.951000 -0400s
100	50.71	5,071.00	20240709 13:40:42.951000 -0400s
100	50.71	5,071.00	20240709 13:40:42.951000 -0400s
100	50.71	5,071.00	20240709 13:40:42.951000 -0400s
100	50.71	5,071.00	20240709 13:40:42.951000 -0400s
100	50.59	5,059.00	20240709 14:00:38.420000 -0400s
45	50.59	2,276.55	20240709 14:04:38.267000 -0400s
100	50.59	5,059.00	20240709 14:04:38.267000 -0400s
100	50.59	5,059.00	20240709 14:04:38.267000 -0400s
100	50.59	5,059.00	20240709 14:04:38.267000 -0400s
355	50.59	17,959.45	20240709 14:04:38.267000 -0400s
200	50.59	10,118.00	20240709 14:04:38.267000 -0400s
100	50.59	5,059.00	20240709 14:04:38.267000 -0400s
100	50.53	5,053.00	20240709 14:21:52.963000 -0400s
27	50.53	1,364.31	20240709 14:21:52.963000 -0400s
73	50.53	3,688.69	20240709 14:21:52.963000 -0400s
100	50.53	5,053.00	20240709 14:21:52.963000 -0400s
100	50.53	5,053.00	20240709 14:21:52.963000 -0400s
200	50.53	10,106.00	20240709 14:21:52.963000 -0400s
100	50.53	5,053.00	20240709 14:21:52.963000 -0400s
63	50.53	3,183.39	20240709 14:21:52.963000 -0400s
21	50.53	1,061.13	20240709 14:21:52.963000 -0400s
100	50.53	5,053.00	20240709 14:21:52.963000 -0400s
16	50.53	808.48	20240709 14:21:52.963000 -0400s
100	50.53	5,053.00	20240709 14:21:52.963000 -0400s
74	50.53	3,739.22	20240709 14:28:13.635000 -0400s
100	50.53	5,053.00	20240709 14:28:13.635000 -0400s
26	50.53	1,313.78	20240709 14:28:13.635000 -0400s
200	50.63	10,126.00	20240709 14:36:34.031000 -0400s
100	50.63	5,063.00	20240709 14:36:34.031000 -0400s
100	50.63	5,063.00	20240709 14:36:34.031000 -0400s
100	50.63	5,063.00	20240709 14:36:34.031000 -0400s
100	50.63	5,063.00	20240709 14:36:34.031000 -0400s
100	50.49	5,049.00	20240709 14:42:25.508000 -0400s
100	50.45	5,045.00	20240709 14:46:58.506000 -0400s
100	50.45	5,045.00	20240709 14:46:58.506000 -0400s
100	50.45	5,045.00	20240709 14:46:58.506000 -0400s
100	50.45	5,045.00	20240709 14:46:58.507000 -0400s
100	50.42	5,042.00	20240709 14:53:19.052000 -0400s
2	50.42	100.84	20240709 14:53:19.053000 -0400s
88	50.41	4,436.08	20240709 15:02:28.944000 -0400s
100	50.41	5,041.00	20240709 15:02:28.945000 -0400s
100	50.41	5,041.00	20240709 15:02:28.945000 -0400s
100	50.41	5,041.00	20240709 15:02:28.945000 -0400s
100	50.41	5,041.00	20240709 15:02:28.945000 -0400s

100	50.41	5,041.00	20240709 15:02:28.945000 -0400s
100	50.41	5,041.00	20240709 15:02:28.945000 -0400s
100	50.41	5,041.00	20240709 15:02:28.945000 -0400s
10	50.41	504.10	20240709 15:02:28.945000 -0400s
20	50.28	1,005.60	20240709 15:13:30.730000 -0400s
70	50.28	3,519.60	20240709 15:19:48.646000 -0400s
30	50.28	1,508.40	20240709 15:19:48.646000 -0400s
100	50.28	5,028.00	20240709 15:19:48.646000 -0400s
100	50.28	5,028.00	20240709 15:19:48.646000 -0400s
89	50.28	4,474.92	20240709 15:19:48.646000 -0400s
100	50.28	5,028.00	20240709 15:19:48.646000 -0400s
100	50.28	5,028.00	20240709 15:19:48.646000 -0400s
100	50.28	5,028.00	20240709 15:19:48.646000 -0400s
11	50.28	553.08	20240709 15:19:48.646000 -0400s
100	50.28	5,028.00	20240709 15:19:48.646000 -0400s
100	50.28	5,028.00	20240709 15:19:48.646000 -0400s
180	50.28	9,050.40	20240709 15:19:48.646000 -0400s
100	50.27	5,027.00	20240709 15:19:48.647000 -0400s
100	50.27	5,027.00	20240709 15:19:48.647000 -0400s
74	50.29	3,721.46	20240709 15:27:56.522000 -0400s
200	50.29	10,058.00	20240709 15:28:09.321000 -0400s
100	50.29	5,029.00	20240709 15:28:09.321000 -0400s
200	50.29	10,058.00	20240709 15:28:09.321000 -0400s
100	50.27	5,027.00	20240709 15:31:20.498000 -0400s
24	50.27	1,206.48	20240709 15:31:20.498000 -0400s
76	50.27	3,820.52	20240709 15:31:20.498000 -0400s
100	50.29	5,029.00	20240709 15:37:18.777000 -0400s
56	50.26	2,814.56	20240709 15:37:36.319000 -0400s
100	50.26	5,026.00	20240709 15:37:36.319000 -0400s
244	50.26	12,263.44	20240709 15:37:36.319000 -0400s
100	50.2	5,020.00	20240709 15:41:58.070000 -0400s
100	50.2	5,020.00	20240709 15:41:58.070000 -0400s
100	50.2	5,020.00	20240709 15:41:58.070000 -0400s
100	50.2	5,020.00	20240709 15:41:58.070000 -0400s
100	50.19	5,019.00	20240709 15:46:38.091000 -0400s
100	50.19	5,019.00	20240709 15:46:38.091000 -0400s
89	50.2	4,467.80	20240709 15:46:58.074000 -0400s
161	50.2	8,082.20	20240709 15:46:58.074000 -0400s
50	50.2	2,510.00	20240709 15:46:58.074000 -0400s
96	50.2	4,819.20	20240709 15:46:58.074000 -0400s
4	50.2	200.80	20240709 15:46:58.074000 -0400s
10	50.18	501.80	20240709 15:47:29.151000 -0400s
50	50.19	2,509.50	20240709 15:47:34.229000 -0400s
25	50.18	1,254.50	20240709 15:47:51.867000 -0400s
70	50.18	3,512.60	20240709 15:47:51.867000 -0400s
12	50.19	602.28	20240709 15:47:51.867000 -0400s

141	51.01	7,192.41	20240710 15:47:32.455000 -0400s
100	50.99	5,099.00	20240710 15:46:23.718000 -0400s
198	51.04	10,105.92	20240710 15:46:23.354000 -0400s
2	51.04	102.08	20240710 15:46:23.354000 -0400s
50	50.98	2,549.00	20240710 15:45:46.363000 -0400s
50	50.98	2,549.00	20240710 15:45:46.202000 -0400s
41	50.87	2,085.67	20240710 15:43:50.740000 -0400s
100	50.87	5,087.00	20240710 15:43:50.740000 -0400s
59	50.87	3,001.33	20240710 15:43:50.740000 -0400s
100	50.91	5,091.00	20240710 15:43:22.410000 -0400s
72	50.91	3,665.52	20240710 15:43:22.410000 -0400s
100	50.79	5,079.00	20240710 15:39:50.649000 -0400s
100	50.79	5,079.00	20240710 15:39:50.649000 -0400s
100	50.82	5,082.00	20240710 15:36:24.680000 -0400s
32	50.84	1,626.88	20240710 15:36:11.967000 -0400s
68	50.84	3,457.12	20240710 15:36:11.967000 -0400s
100	50.85	5,085.00	20240710 15:36:03.540000 -0400s
100	50.86	5,086.00	20240710 15:34:48.189000 -0400s
100	50.86	5,086.00	20240710 15:34:48.189000 -0400s
100	50.86	5,086.00	20240710 15:34:48.189000 -0400s
200	50.86	10,172.00	20240710 15:34:48.189000 -0400s
50	50.87	2,543.50	20240710 15:32:58.969000 -0400s
47	50.87	2,390.89	20240710 15:32:58.969000 -0400s
100	50.87	5,087.00	20240710 15:32:58.969000 -0400s
100	50.87	5,087.00	20240710 15:32:58.969000 -0400s
23	50.87	1,170.01	20240710 15:32:58.969000 -0400s
100	50.87	5,087.00	20240710 15:32:58.969000 -0400s
100	50.87	5,087.00	20240710 15:32:58.969000 -0400s
100	50.87	5,087.00	20240710 15:32:58.969000 -0400s
177	50.87	9,003.99	20240710 15:32:58.969000 -0400s
18	50.85	915.30	20240710 15:31:50.282000 -0400s
10	50.84	508.40	20240710 15:31:44.303000 -0400s
100	50.84	5,084.00	20240710 15:31:44.243000 -0400s
100	50.84	5,084.00	20240710 15:31:44.243000 -0400s
100	50.7	5,070.00	20240710 15:24:51.467000 -0400s
199	50.7	10,089.30	20240710 15:24:51.467000 -0400s
200	50.61	10,122.00	20240710 15:11:55.336000 -0400s
100	50.61	5,061.00	20240710 15:11:55.336000 -0400s
100	50.61	5,061.00	20240710 15:11:55.336000 -0400s
100	50.61	5,061.00	20240710 15:11:55.336000 -0400s
16	50.63	810.08	20240710 15:04:01.019000 -0400s
100	50.63	5,063.00	20240710 15:04:01.019000 -0400s
84	50.63	4,252.92	20240710 15:04:01.019000 -0400s
69	50.63	3,493.47	20240710 15:04:01.019000 -0400s
100	50.63	5,063.00	20240710 15:04:01.019000 -0400s
31	50.63	1,569.53	20240710 15:04:01.019000 -0400s

375	50.63	18,986.25	20240710 15:04:01.019000 -0400s
100	50.63	5,063.00	20240710 15:04:01.019000 -0400s
25	50.63	1,265.75	20240710 15:04:01.019000 -0400s
100	50.63	5,063.00	20240710 15:00:41.978000 -0400s
421	50.54	21,277.34	20240710 14:46:42.149000 -0400s
300	50.54	15,162.00	20240710 14:46:42.149000 -0400s
79	50.54	3,992.66	20240710 14:46:42.149000 -0400s
100	50.58	5,058.00	20240710 14:46:42.069000 -0400s
2	50.58	101.16	20240710 14:46:42.068000 -0400s
100	50.58	5,058.00	20240710 14:46:42.068000 -0400s
98	50.58	4,956.84	20240710 14:46:42.068000 -0400s
8	50.57	404.56	20240710 14:45:25.779000 -0400s
21	50.57	1,061.97	20240710 14:45:25.779000 -0400s
100	50.57	5,057.00	20240710 14:45:25.778000 -0400s
100	50.57	5,057.00	20240710 14:45:25.777000 -0400s
200	50.57	10,114.00	20240710 14:45:25.776000 -0400s
100	50.57	5,057.00	20240710 14:44:47.711000 -0400s
100	50.52	5,052.00	20240710 14:43:51.508000 -0400s
105	50.52	5,304.60	20240710 14:43:51.508000 -0400s
100	50.52	5,052.00	20240710 14:43:51.508000 -0400s
100	50.47	5,047.00	20240710 14:13:31.705000 -0400s
100	50.47	5,047.00	20240710 14:13:31.705000 -0400s
100	50.47	5,047.00	20240710 14:13:31.705000 -0400s
100	50.47	5,047.00	20240710 14:13:31.705000 -0400s
100	50.47	5,047.00	20240710 14:13:31.705000 -0400s
100	50.47	5,047.00	20240710 14:13:31.705000 -0400s
100	50.65	5,065.00	20240710 14:05:32.006000 -0400s
100	50.65	5,065.00	20240710 14:05:32.006000 -0400s
100	50.65	5,065.00	20240710 14:05:32.006000 -0400s
100	50.65	5,065.00	20240710 14:05:32.006000 -0400s
304	50.65	15,397.60	20240710 14:05:32.006000 -0400s
196	50.65	9,927.40	20240710 14:05:32.006000 -0400s
100	50.74	5,074.00	20240710 13:59:07.368000 -0400s
100	50.74	5,074.00	20240710 13:59:07.368000 -0400s
99	50.73	5,022.27	20240710 13:59:07.367000 -0400s
1	50.72	50.72	20240710 13:59:07.367000 -0400s
100	50.7	5,070.00	20240710 13:54:36.389000 -0400s
100	50.7	5,070.00	20240710 13:54:36.389000 -0400s
17	50.69	861.73	20240710 13:54:36.389000 -0400s
71	50.69	3,598.99	20240710 13:54:36.389000 -0400s
10	50.51	505.10	20240710 13:37:27.197000 -0400s
90	50.51	4,545.90	20240710 13:37:27.197000 -0400s
100	50.59	5,059.00	20240710 13:36:52.354000 -0400s
200	50.59	10,118.00	20240710 13:36:52.353000 -0400s
100	50.59	5,059.00	20240710 13:36:52.353000 -0400s
200	50.59	10,118.00	20240710 13:36:52.353000 -0400s
100	50.48	5,048.00	20240710 13:24:35.768000 -0400s

100	50.48	5,048.00	20240710 13:24:35.768000 -0400s
100	50.48	5,048.00	20240710 13:24:35.768000 -0400s
100	50.48	5,048.00	20240710 13:24:35.768000 -0400s
100	50.48	5,048.00	20240710 13:24:35.768000 -0400s
100	50.51	5,051.00	20240710 13:12:20.479000 -0400s
100	50.51	5,051.00	20240710 13:12:20.479000 -0400s
99	50.51	5,000.49	20240710 13:12:20.479000 -0400s
100	50.51	5,051.00	20240710 13:12:20.479000 -0400s
100	50.51	5,051.00	20240710 13:12:20.479000 -0400s
100	50.51	5,051.00	20240710 13:12:20.479000 -0400s
1	50.51	50.51	20240710 13:12:20.479000 -0400s
100	50.58	5,058.00	20240710 13:08:42.695000 -0400s
175	50.59	8,853.25	20240710 13:08:42.695000 -0400s
225	50.58	11,380.50	20240710 13:08:42.695000 -0400s
100	50.56	5,056.00	20240710 12:49:44.322000 -0400s
100	50.56	5,056.00	20240710 12:49:44.322000 -0400s
9	50.56	455.04	20240710 12:49:44.322000 -0400s
100	50.56	5,056.00	20240710 12:49:44.322000 -0400s
91	50.56	4,600.96	20240710 12:49:44.322000 -0400s
100	50.56	5,056.00	20240710 12:49:44.322000 -0400s
100	50.56	5,056.00	20240710 12:49:44.322000 -0400s
100	50.64	5,064.00	20240710 12:36:55.559000 -0400s
700	50.72	35,504.00	20240710 12:34:27.818000 -0400s
100	50.72	5,072.00	20240710 12:34:27.818000 -0400s
400	50.72	20,288.00	20240710 12:34:27.818000 -0400s
100	50.72	5,072.00	20240710 12:34:27.818000 -0400s
100	50.72	5,072.00	20240710 12:34:27.818000 -0400s
100	50.72	5,072.00	20240710 12:34:27.818000 -0400s
20	50.75	1,015.00	20240710 12:24:41.927000 -0400s
400	50.71	20,284.00	20240710 12:06:24.676000 -0400s
100	50.71	5,071.00	20240710 12:06:24.676000 -0400s
42	50.72	2,130.24	20240710 12:06:24.584000 -0400s
100	50.72	5,072.00	20240710 12:06:24.584000 -0400s
100	50.73	5,073.00	20240710 12:06:24.584000 -0400s
69	50.77	3,503.13	20240710 11:58:53.263000 -0400s
31	50.77	1,573.87	20240710 11:58:53.263000 -0400s
31	50.77	1,573.87	20240710 11:57:43.236000 -0400s
78	50.83	3,964.74	20240710 11:49:10.085000 -0400s
100	50.83	5,083.00	20240710 11:49:10.085000 -0400s
100	50.83	5,083.00	20240710 11:49:10.085000 -0400s
100	50.83	5,083.00	20240710 11:49:10.085000 -0400s
100	50.83	5,083.00	20240710 11:49:10.085000 -0400s
100	50.83	5,083.00	20240710 11:49:10.085000 -0400s
22	50.83	1,118.26	20240710 11:49:10.085000 -0400s
100	50.83	5,083.00	20240710 11:49:10.085000 -0400s
300	50.83	15,249.00	20240710 11:49:10.085000 -0400s

100	50.83	5,083.00	20240710 11:49:10.085000 -0400s
100	50.83	5,083.00	20240710 11:49:08.587000 -0400s
58	50.95	2,955.10	20240710 11:39:15.744000 -0400s
200	50.96	10,192.00	20240710 11:39:15.744000 -0400s
36	50.96	1,834.56	20240710 11:39:15.744000 -0400s
100	50.95	5,095.00	20240710 11:39:15.744000 -0400s
42	50.94	2,139.48	20240710 11:39:15.744000 -0400s
64	50.96	3,261.44	20240710 11:39:15.744000 -0400s
58	50.95	2,955.10	20240710 11:39:15.744000 -0400s
42	50.94	2,139.48	20240710 11:39:15.744000 -0400s
58	50.95	2,955.10	20240710 11:39:15.744000 -0400s
42	50.94	2,139.48	20240710 11:39:15.744000 -0400s
28	50.91	1,425.48	20240710 11:39:15.743000 -0400s
5	50.91	254.55	20240710 11:39:15.743000 -0400s
30	50.9	1,527.00	20240710 11:39:15.742000 -0400s
35	50.89	1,781.15	20240710 11:38:03.023000 -0400s
100	50.89	5,089.00	20240710 11:38:03.023000 -0400s
4	50.88	203.52	20240710 11:38:03.022000 -0400s
83	50.87	4,222.21	20240710 11:38:03.022000 -0400s
7	50.82	355.74	20240710 11:35:52.218000 -0400s
204	50.82	10,367.28	20240710 11:35:52.218000 -0400s
1	50.82	50.82	20240710 11:35:52.218000 -0400s
10	50.82	508.20	20240710 11:35:52.218000 -0400s
100	50.81	5,081.00	20240710 11:35:52.218000 -0400s
7	50.79	355.53	20240710 11:35:52.218000 -0400s
3	50.82	152.46	20240710 11:35:52.218000 -0400s
5	50.82	254.10	20240710 11:35:52.218000 -0400s
12	50.82	609.84	20240710 11:35:52.218000 -0400s
6	50.82	304.92	20240710 11:35:52.218000 -0400s
100	50.81	5,081.00	20240710 11:35:52.218000 -0400s
1	50.82	50.82	20240710 11:35:52.218000 -0400s
100	50.81	5,081.00	20240710 11:35:52.218000 -0400s
6	50.775	304.65	20240710 11:35:52.218000 -0400s
45	50.82	2,286.90	20240710 11:35:27.944000 -0400s
2	50.82	101.64	20240710 11:35:27.944000 -0400s
143	50.81	7,265.83	20240710 11:35:27.943000 -0400s
157	50.81	7,977.17	20240710 11:35:27.943000 -0400s
100	50.81	5,081.00	20240710 11:34:28.448000 -0400s
100	50.81	5,081.00	20240710 11:34:28.448000 -0400s
4	50.54	202.16	20240710 11:17:18.783000 -0400s
10	50.53	505.30	20240710 11:17:18.782000 -0400s
200	50.38	10,076.00	20240710 11:09:43.936000 -0400s
100	50.38	5,038.00	20240710 11:09:43.936000 -0400s
500	50.38	25,190.00	20240710 11:09:43.936000 -0400s
200	50.38	10,076.00	20240710 11:09:43.936000 -0400s
400	50.38	20,152.00	20240710 11:09:43.936000 -0400s

5	50.38	251.90	20240710 11:09:43.936000 -0400s
2	50.38	100.76	20240710 11:09:14.556000 -0400s
4	50.4	201.60	20240710 11:08:59.556000 -0400s
2	50.35	100.70	20240710 11:08:29.556000 -0400s
100	50.32	5,032.00	20240710 11:05:58.325000 -0400s
400	50.3	20,120.00	20240710 10:38:08.878000 -0400s
100	50.3	5,030.00	20240710 10:38:08.878000 -0400s
50	50.3	2,515.00	20240710 10:38:08.878000 -0400s
150	50.3	7,545.00	20240710 10:38:08.878000 -0400s
100	50.3	5,030.00	20240710 10:36:55.992000 -0400s
1	50.3	50.30	20240710 10:36:53.876000 -0400s
2	50.3	100.60	20240710 10:36:38.876000 -0400s
85	50.36	4,280.60	20240710 10:30:00.296000 -0400s
15	50.36	755.40	20240710 10:30:00.296000 -0400s
200	50.47	10,094.00	20240710 10:26:23.517000 -0400s
100	50.48	5,048.00	20240710 10:26:23.517000 -0400s
200	50.48	10,096.00	20240710 10:26:23.517000 -0400s
100	50.48	5,048.00	20240710 10:26:23.517000 -0400s
100	50.48	5,048.00	20240710 10:26:23.517000 -0400s
305	50.48	15,396.40	20240710 10:26:23.517000 -0400s
100	50.48	5,048.00	20240710 10:26:23.517000 -0400s
100	50.48	5,048.00	20240710 10:26:23.517000 -0400s
295	50.48	14,891.60	20240710 10:26:23.517000 -0400s
100	50.48	5,048.00	20240710 10:26:23.516000 -0400s
386	50.51	19,496.86	20240710 10:24:39.294000 -0400s
4	50.51	202.04	20240710 10:24:39.294000 -0400s
4	50.51	202.04	20240710 10:24:39.294000 -0400s
6	50.51	303.06	20240710 10:24:39.294000 -0400s
100	50.51	5,051.00	20240710 10:24:39.294000 -0400s
92	50.51	4,646.92	20240710 10:24:39.294000 -0400s
100	50.49	5,049.00	20240710 10:24:39.188000 -0400s
100	50.48	5,048.00	20240710 10:24:39.188000 -0400s
100	50.49	5,049.00	20240710 10:24:39.188000 -0400s
100	50.49	5,049.00	20240710 10:24:39.188000 -0400s
100	50.51	5,051.00	20240710 10:24:39.187000 -0400s
100	50.4	5,040.00	20240710 10:23:11.594000 -0400s
120	50.35	6,042.00	20240710 10:08:49.130000 -0400s
12	50.35	604.20	20240710 10:08:49.130000 -0400s
100	50.34	5,034.00	20240710 10:08:49.130000 -0400s
100	50.34	5,034.00	20240710 10:08:49.130000 -0400s
100	50.36	5,036.00	20240710 10:07:00.083000 -0400s
100	50.36	5,036.00	20240710 10:07:00.082000 -0400s
100	50.35	5,035.00	20240710 10:07:00.082000 -0400s
200	50.36	10,072.00	20240710 10:07:00.082000 -0400s
100	50.35	5,035.00	20240710 10:07:00.082000 -0400s
200	50.11	10,022.00	20240710 09:46:45.524000 -0400s

100	50.11	5,011.00	20240710 09:46:45.524000 -0400s
100	50.11	5,011.00	20240710 09:46:45.524000 -0400s
100	50.11	5,011.00	20240710 09:46:45.524000 -0400s
100	50.11	5,011.00	20240710 09:46:45.524000 -0400s
400	50.11	20,044.00	20240710 09:46:45.524000 -0400s
200	50.11	10,022.00	20240710 09:46:45.524000 -0400s
200	50.38	10,076.00	20240710 09:39:05.500000 -0400s
100	50.38	5,038.00	20240710 09:39:05.500000 -0400s
124	52.55	6,516.20	20240711 15:48:02.061000 -0400s
100	52.6	5,260.00	20240711 15:47:12.932000 -0400s
22	52.59	1,156.98	20240711 15:45:43.962000 -0400s
100	52.59	5,259.00	20240711 15:45:43.961000 -0400s
78	52.59	4,102.02	20240711 15:45:43.961000 -0400s
100	52.6	5,260.00	20240711 15:45:28.302000 -0400s
7	52.6	368.20	20240711 15:45:28.302000 -0400s
80	52.6	4,208.00	20240711 15:45:28.300000 -0400s
20	52.59	1,051.80	20240711 15:45:28.300000 -0400s
100	52.53	5,253.00	20240711 15:42:24.106000 -0400s
51	52.53	2,679.03	20240711 15:42:24.106000 -0400s
49	52.53	2,573.97	20240711 15:42:24.106000 -0400s
21	52.44	1,101.24	20240711 15:38:43.109000 -0400s
51	52.44	2,674.44	20240711 15:38:43.109000 -0400s
28	52.44	1,468.32	20240711 15:38:43.109000 -0400s
22	52.46	1,154.12	20240711 15:37:52.648000 -0400s
33	52.46	1,731.18	20240711 15:37:52.648000 -0400s
45	52.46	2,360.70	20240711 15:37:52.648000 -0400s
100	52.43	5,243.00	20240711 15:36:56.284000 -0400s
100	52.43	5,243.00	20240711 15:36:56.284000 -0400s
100	52.43	5,243.00	20240711 15:36:56.284000 -0400s
63	52.45	3,304.35	20240711 15:35:03.668000 -0400s
37	52.45	1,940.65	20240711 15:35:03.668000 -0400s
100	52.4	5,240.00	20240711 15:33:04.468000 -0400s
100	52.4	5,240.00	20240711 15:33:04.468000 -0400s
21	52.37	1,099.77	20240711 15:32:09.650000 -0400s
100	52.37	5,237.00	20240711 15:32:09.650000 -0400s
100	52.37	5,237.00	20240711 15:32:09.650000 -0400s
79	52.37	4,137.23	20240711 15:32:09.650000 -0400s
100	52.43	5,243.00	20240711 15:30:06.834000 -0400s
100	52.43	5,243.00	20240711 15:30:06.834000 -0400s
100	52.47	5,247.00	20240711 15:26:59.167000 -0400s
100	52.4	5,240.00	20240711 15:24:21.898000 -0400s
4	52.4	209.60	20240711 15:24:21.898000 -0400s
196	52.4	10,270.40	20240711 15:24:21.898000 -0400s
100	52.4	5,240.00	20240711 15:24:21.898000 -0400s
5	52.26	261.30	20240711 15:20:28.096000 -0400s
42	52.26	2,194.92	20240711 15:20:28.096000 -0400s

95	52.26	4,964.70	20240711 15:20:28.096000 -0400s
58	52.26	3,031.08	20240711 15:20:28.095000 -0400s
100	52.26	5,226.00	20240711 15:20:28.095000 -0400s
100	52.27	5,227.00	20240711 15:18:11.614000 -0400s
100	52.29	5,229.00	20240711 15:18:11.613000 -0400s
100	52.12	5,212.00	20240711 15:12:06.143000 -0400s
140	52.14	7,299.60	20240711 15:12:05.738000 -0400s
100	52.14	5,214.00	20240711 15:12:05.738000 -0400s
36	52.14	1,877.04	20240711 15:12:05.738000 -0400s
24	52.14	1,251.36	20240711 15:12:05.738000 -0400s
100	52.03	5,203.00	20240711 15:05:52.189000 -0400s
100	52.03	5,203.00	20240711 15:05:52.189000 -0400s
53	51.9	2,750.70	20240711 15:02:48.250000 -0400s
100	51.95	5,195.00	20240711 15:02:15.022000 -0400s
100	51.95	5,195.00	20240711 15:02:15.022000 -0400s
200	51.94	10,388.00	20240711 15:00:17.308000 -0400s
100	51.94	5,194.00	20240711 15:00:17.308000 -0400s
100	51.94	5,194.00	20240711 15:00:17.308000 -0400s
100	51.94	5,194.00	20240711 15:00:17.308000 -0400s
100	51.94	5,194.00	20240711 15:00:17.308000 -0400s
100	51.94	5,194.00	20240711 15:00:17.308000 -0400s
100	51.94	5,194.00	20240711 14:50:45.028000 -0400s
80	51.87	4,149.60	20240711 14:45:23.125000 -0400s
100	51.87	5,187.00	20240711 14:45:23.125000 -0400s
100	51.87	5,187.00	20240711 14:45:23.125000 -0400s
100	51.87	5,187.00	20240711 14:45:23.125000 -0400s
20	51.87	1,037.40	20240711 14:45:23.125000 -0400s
200	51.87	10,374.00	20240711 14:45:23.125000 -0400s
100	51.87	5,187.00	20240711 14:45:23.125000 -0400s
100	51.84	5,184.00	20240711 14:32:17.476000 -0400s
100	51.84	5,184.00	20240711 14:32:17.476000 -0400s
100	51.84	5,184.00	20240711 14:32:17.476000 -0400s
94	51.94	4,882.36	20240711 14:31:04.457000 -0400s
100	51.84	5,184.00	20240711 14:23:54.601000 -0400s
61	51.84	3,162.24	20240711 14:23:54.601000 -0400s
39	51.84	2,021.76	20240711 14:23:54.601000 -0400s
100	51.84	5,184.00	20240711 14:23:54.601000 -0400s
100	51.84	5,184.00	20240711 14:23:54.601000 -0400s
100	51.84	5,184.00	20240711 14:23:54.601000 -0400s
100	51.84	5,184.00	20240711 14:23:54.600000 -0400s
100	51.83	5,183.00	20240711 14:12:04.477000 -0400s
34	51.86	1,763.24	20240711 14:11:02.522000 -0400s
100	51.86	5,186.00	20240711 14:11:02.522000 -0400s
66	51.86	3,422.76	20240711 14:11:02.522000 -0400s
100	51.86	5,186.00	20240711 14:11:02.522000 -0400s
100	51.87	5,187.00	20240711 14:11:02.522000 -0400s

100	51.85	5,185.00	20240711 14:07:37.616000 -0400s
100	51.85	5,185.00	20240711 14:07:37.616000 -0400s
100	51.85	5,185.00	20240711 14:07:37.616000 -0400s
100	51.85	5,185.00	20240711 14:07:37.616000 -0400s
200	51.86	10,372.00	20240711 14:07:37.616000 -0400s
200	51.84	10,368.00	20240711 14:00:59.776000 -0400s
29	51.84	1,503.36	20240711 14:00:59.776000 -0400s
71	51.84	3,680.64	20240711 14:00:59.776000 -0400s
100	51.77	5,177.00	20240711 13:47:52.607000 -0400s
100	51.77	5,177.00	20240711 13:47:52.607000 -0400s
100	51.77	5,177.00	20240711 13:47:52.607000 -0400s
100	51.77	5,177.00	20240711 13:47:52.607000 -0400s
100	51.78	5,178.00	20240711 13:39:36.953000 -0400s
100	51.78	5,178.00	20240711 13:39:36.953000 -0400s
69	51.78	3,572.82	20240711 13:39:36.952000 -0400s
31	51.78	1,605.18	20240711 13:39:36.952000 -0400s
50	51.85	2,592.50	20240711 13:36:49.209000 -0400s
100	51.85	5,185.00	20240711 13:36:49.209000 -0400s
100	51.86	5,186.00	20240711 13:36:49.209000 -0400s
1	51.92	51.92	20240711 13:30:28.380000 -0400s
100	51.82	5,182.00	20240711 13:26:29.512000 -0400s
100	51.89	5,189.00	20240711 13:24:46.340000 -0400s
100	52.18	5,218.00	20240711 13:23:39.489000 -0400s
100	52.18	5,218.00	20240711 13:23:39.489000 -0400s
100	52.18	5,218.00	20240711 13:23:39.489000 -0400s
100	52.18	5,218.00	20240711 13:23:39.489000 -0400s
100	52.18	5,218.00	20240711 13:23:39.489000 -0400s
100	52.06	5,206.00	20240711 13:09:06.318000 -0400s
100	52.06	5,206.00	20240711 13:09:06.318000 -0400s
100	51.93	5,193.00	20240711 13:06:35.402000 -0400s
100	51.93	5,193.00	20240711 13:06:35.402000 -0400s
100	51.95	5,195.00	20240711 13:02:29.410000 -0400s
200	51.93	10,386.00	20240711 13:02:02.453000 -0400s
200	51.93	10,386.00	20240711 13:02:02.453000 -0400s
100	51.93	5,193.00	20240711 13:02:02.453000 -0400s
100	51.8	5,180.00	20240711 12:54:42.551000 -0400s
68	51.71	3,516.28	20240711 12:50:06.414000 -0400s
100	51.71	5,171.00	20240711 12:50:06.414000 -0400s
100	51.71	5,171.00	20240711 12:50:06.414000 -0400s
100	51.71	5,171.00	20240711 12:50:06.414000 -0400s
100	51.71	5,171.00	20240711 12:50:06.414000 -0400s
32	51.71	1,654.72	20240711 12:50:03.424000 -0400s
100	51.76	5,176.00	20240711 12:50:01.343000 -0400s
4	51.62	206.48	20240711 12:46:45.154000 -0400s
100	51.73	5,173.00	20240711 12:36:45.923000 -0400s
100	51.73	5,173.00	20240711 12:36:45.923000 -0400s

100	51.8	5,180.00	20240711 12:33:53.952000 -0400s
100	51.8	5,180.00	20240711 12:33:53.952000 -0400s
100	51.8	5,180.00	20240711 12:33:53.952000 -0400s
100	51.8	5,180.00	20240711 12:33:53.952000 -0400s
1	51.7	51.70	20240711 12:24:12.483000 -0400s
100	51.7	5,170.00	20240711 12:24:12.483000 -0400s
99	51.7	5,118.30	20240711 12:24:12.483000 -0400s
100	51.72	5,172.00	20240711 12:24:12.482000 -0400s
100	51.72	5,172.00	20240711 12:24:12.481000 -0400s
100	51.87	5,187.00	20240711 12:12:33.027000 -0400s
100	51.87	5,187.00	20240711 12:12:33.027000 -0400s
100	51.87	5,187.00	20240711 12:12:33.027000 -0400s
11	51.87	570.57	20240711 12:12:33.026000 -0400s
189	51.87	9,803.43	20240711 12:12:33.026000 -0400s
100	51.73	5,173.00	20240711 12:02:52.112000 -0400s
100	51.73	5,173.00	20240711 12:02:52.112000 -0400s
34	51.73	1,758.82	20240711 12:02:52.112000 -0400s
66	51.73	3,414.18	20240711 12:02:52.112000 -0400s
100	51.83	5,183.00	20240711 11:59:48.777000 -0400s
200	51.83	10,366.00	20240711 11:59:48.777000 -0400s
100	51.83	5,183.00	20240711 11:59:48.777000 -0400s
100	51.83	5,183.00	20240711 11:59:48.777000 -0400s
100	52.04	5,204.00	20240711 11:48:55.553000 -0400s
100	52.04	5,204.00	20240711 11:48:55.553000 -0400s
100	52.04	5,204.00	20240711 11:48:55.553000 -0400s
100	52.04	5,204.00	20240711 11:48:55.552000 -0400s
100	51.95	5,195.00	20240711 11:44:32.019000 -0400s
100	51.95	5,195.00	20240711 11:44:32.019000 -0400s
185	51.89	9,599.65	20240711 11:43:05.003000 -0400s
100	51.89	5,189.00	20240711 11:43:05.003000 -0400s
15	51.89	778.35	20240711 11:43:05.003000 -0400s
100	51.9	5,190.00	20240711 11:34:10.934000 -0400s
100	51.94	5,194.00	20240711 11:34:10.779000 -0400s
100	51.94	5,194.00	20240711 11:30:35.779000 -0400s
100	51.94	5,194.00	20240711 11:30:35.779000 -0400s
100	51.94	5,194.00	20240711 11:30:35.779000 -0400s
100	52.01	5,201.00	20240711 11:28:39.610000 -0400s
71	52.01	3,692.71	20240711 11:28:39.610000 -0400s
29	52.01	1,508.29	20240711 11:28:39.610000 -0400s
21	52.01	1,092.21	20240711 11:28:39.610000 -0400s
79	52.01	4,108.79	20240711 11:28:39.610000 -0400s
25	52.01	1,300.25	20240711 11:28:39.610000 -0400s
75	52.01	3,900.75	20240711 11:28:39.610000 -0400s
100	52.01	5,201.00	20240711 11:28:39.610000 -0400s
100	52.06	5,206.00	20240711 11:21:55.256000 -0400s
100	52.06	5,206.00	20240711 11:21:55.256000 -0400s

100	52.06	5,206.00	20240711 11:21:55.256000 -0400s
56	52.16	2,920.96	20240711 11:16:16.446000 -0400s
44	52.16	2,295.04	20240711 11:16:16.446000 -0400s
57	52.16	2,973.12	20240711 11:16:16.446000 -0400s
100	52.16	5,216.00	20240711 11:16:16.446000 -0400s
43	52.16	2,242.88	20240711 11:16:16.446000 -0400s
100	52.23	5,223.00	20240711 11:09:33.588000 -0400s
100	52.23	5,223.00	20240711 11:09:33.588000 -0400s
100	52.23	5,223.00	20240711 11:09:33.588000 -0400s
100	52.23	5,223.00	20240711 11:09:33.588000 -0400s
100	52.23	5,223.00	20240711 11:09:33.588000 -0400s
100	52.27	5,227.00	20240711 11:02:21.053000 -0400s
100	52.27	5,227.00	20240711 11:02:21.053000 -0400s
100	52.47	5,247.00	20240711 11:00:25.930000 -0400s
100	52.47	5,247.00	20240711 11:00:25.930000 -0400s
6	52.33	313.98	20240711 10:57:34.521000 -0400s
100	52.33	5,233.00	20240711 10:57:34.521000 -0400s
94	52.33	4,919.02	20240711 10:57:34.521000 -0400s
100	52.31	5,231.00	20240711 10:52:54.639000 -0400s
100	52.31	5,231.00	20240711 10:52:54.639000 -0400s
100	52.31	5,231.00	20240711 10:52:54.639000 -0400s
100	52.47	5,247.00	20240711 10:49:10.702000 -0400s
63	52.47	3,305.61	20240711 10:49:10.702000 -0400s
100	52.47	5,247.00	20240711 10:49:10.702000 -0400s
137	52.47	7,188.39	20240711 10:49:10.702000 -0400s
100	52.47	5,247.00	20240711 10:49:10.702000 -0400s
100	52.5	5,250.00	20240711 10:44:11.740000 -0400s
200	52.5	10,500.00	20240711 10:44:11.739000 -0400s
100	52.5	5,250.00	20240711 10:44:11.739000 -0400s
100	52.4	5,240.00	20240711 10:38:21.987000 -0400s
100	52.4	5,240.00	20240711 10:38:21.987000 -0400s
100	52.34	5,234.00	20240711 10:37:31.814000 -0400s
100	52.28	5,228.00	20240711 10:32:42.576000 -0400s
92	52.28	4,809.76	20240711 10:32:42.576000 -0400s
8	52.28	418.24	20240711 10:32:42.576000 -0400s
100	52.28	5,228.00	20240711 10:32:42.575000 -0400s
100	52.28	5,228.00	20240711 10:32:42.575000 -0400s
100	52.28	5,228.00	20240711 10:32:42.575000 -0400s
100	52.28	5,228.00	20240711 10:32:42.575000 -0400s
100	52.26	5,226.00	20240711 10:32:03.521000 -0400s
1	52.05	52.05	20240711 10:30:20.841000 -0400s
48	52.19	2,505.12	20240711 10:29:31.149000 -0400s
52	52.19	2,713.88	20240711 10:29:31.149000 -0400s
88	52.19	4,592.72	20240711 10:29:31.149000 -0400s
112	52.19	5,845.28	20240711 10:29:31.149000 -0400s
52	52.19	2,713.88	20240711 10:29:31.149000 -0400s

4	52.19	208.76	20240711 10:29:31.149000 -0400s
100	52.19	5,219.00	20240711 10:29:31.149000 -0400s
58	52.06	3,019.48	20240711 10:21:32.989000 -0400s
100	52.06	5,206.00	20240711 10:21:32.989000 -0400s
42	52.06	2,186.52	20240711 10:21:32.989000 -0400s
100	52.04	5,204.00	20240711 10:18:40.046000 -0400s
100	52.06	5,206.00	20240711 10:18:38.759000 -0400s
100	52.07	5,207.00	20240711 10:15:07.707000 -0400s
100	52.07	5,207.00	20240711 10:15:07.707000 -0400s
300	52.07	15,621.00	20240711 10:15:07.707000 -0400s
5	51.97	259.85	20240711 10:12:58.924000 -0400s
5	51.97	259.85	20240711 10:12:58.924000 -0400s
100	51.97	5,197.00	20240711 10:12:58.924000 -0400s
82	51.97	4,261.54	20240711 10:12:58.924000 -0400s
218	51.97	11,329.46	20240711 10:12:58.924000 -0400s
100	51.97	5,197.00	20240711 10:12:58.924000 -0400s
204	51.63	10,532.52	20240711 10:05:10.034000 -0400s
100	51.63	5,163.00	20240711 10:05:10.034000 -0400s
100	51.63	5,163.00	20240711 10:05:10.034000 -0400s
96	51.63	4,956.48	20240711 10:05:10.034000 -0400s
19	51.63	980.97	20240711 10:05:10.034000 -0400s
281	51.63	14,508.03	20240711 10:05:10.034000 -0400s
100	51.43	5,143.00	20240711 09:55:15.285000 -0400s
100	51.45	5,145.00	20240711 09:54:22.123000 -0400s
174	51.45	8,952.30	20240711 09:54:22.123000 -0400s
26	51.45	1,337.70	20240711 09:54:22.123000 -0400s
100	51.45	5,145.00	20240711 09:54:22.123000 -0400s
500	51.45	25,725.00	20240711 09:54:22.123000 -0400s
64	51.45	3,292.80	20240711 09:54:22.123000 -0400s
100	51.45	5,145.00	20240711 09:54:22.123000 -0400s
136	51.45	6,997.20	20240711 09:54:22.123000 -0400s
64	51.45	3,292.80	20240711 09:54:22.123000 -0400s
136	51.45	6,997.20	20240711 09:54:22.123000 -0400s
17	51.35	872.95	20240711 09:47:45.567000 -0400s
83	51.35	4,262.05	20240711 09:47:45.563000 -0400s
289	51.41	14,857.49	20240711 09:47:45.503000 -0400s
111	51.41	5,706.51	20240711 09:47:45.503000 -0400s
100	51.41	5,141.00	20240711 09:47:45.503000 -0400s
100	51.5	5,150.00	20240711 09:47:45.229000 -0400s
100	51.34	5,134.00	20240711 09:35:31.410000 -0400s
200	51.34	10,268.00	20240711 09:35:31.410000 -0400s
200	51.34	10,268.00	20240711 09:35:31.410000 -0400s
92	51.46	4,734.32	20240711 09:32:34.266000 -0400s
108	51.46	5,557.68	20240711 09:32:34.266000 -0400s
100	51.46	5,146.00	20240711 09:32:34.266000 -0400s
100	53	5,300.00	20240712 09:32:45.127000 -0400s

100	53	5,300.00	20240712 09:32:45.127000 -0400s
100	52.95	5,295.00	20240712 09:35:02.663000 -0400s
96	52.95	5,083.20	20240712 09:35:02.663000 -0400s
50	52.95	2,647.50	20240712 09:35:02.663000 -0400s
4	52.95	211.80	20240712 09:35:02.663000 -0400s
100	52.95	5,295.00	20240712 09:35:02.663000 -0400s
50	52.95	2,647.50	20240712 09:35:02.663000 -0400s
100	52.95	5,295.00	20240712 09:35:02.663000 -0400s
64	52.95	3,388.80	20240712 09:35:02.663000 -0400s
36	52.95	1,906.20	20240712 09:35:02.663000 -0400s
100	52.83	5,283.00	20240712 09:45:00.132000 -0400s
100	52.83	5,283.00	20240712 09:45:00.132000 -0400s
100	52.83	5,283.00	20240712 09:45:00.132000 -0400s
100	52.83	5,283.00	20240712 09:45:00.132000 -0400s
200	52.83	10,566.00	20240712 09:45:00.132000 -0400s
100	52.83	5,283.00	20240712 09:45:00.132000 -0400s
100	52.83	5,283.00	20240712 09:45:00.132000 -0400s
100	52.91	5,291.00	20240712 09:49:55.310000 -0400s
100	52.91	5,291.00	20240712 09:49:55.310000 -0400s
100	52.91	5,291.00	20240712 09:49:55.310000 -0400s
100	52.91	5,291.00	20240712 09:49:55.310000 -0400s
100	52.91	5,291.00	20240712 09:49:55.310000 -0400s
100	52.91	5,291.00	20240712 09:49:55.310000 -0400s
200	52.91	10,582.00	20240712 09:49:55.310000 -0400s
100	52.91	5,291.00	20240712 09:49:55.310000 -0400s
100	52.91	5,291.00	20240712 09:49:55.310000 -0400s
73	53.05	3,872.65	20240712 10:00:01.376000 -0400s
1	53.06	53.06	20240712 10:00:01.376000 -0400s
1	53.06	53.06	20240712 10:00:01.376000 -0400s
1	53.06	53.06	20240712 10:00:01.376000 -0400s
1	53.06	53.06	20240712 10:00:01.376000 -0400s
1	53.06	53.06	20240712 10:00:01.376000 -0400s
2	53.06	106.12	20240712 10:00:01.376000 -0400s
3	53.06	159.18	20240712 10:00:01.376000 -0400s
100	53.1	5,310.00	20240712 10:00:31.089000 -0400s
100	53.1	5,310.00	20240712 10:00:31.089000 -0400s
100	53.1	5,310.00	20240712 10:00:31.089000 -0400s
88	53.1	4,672.80	20240712 10:00:31.089000 -0400s
12	53.1	637.20	20240712 10:00:31.089000 -0400s
100	53.01	5,301.00	20240712 10:03:41.122000 -0400s
5	53.06	265.30	20240712 10:05:41.170000 -0400s
100	53.06	5,306.00	20240712 10:05:41.171000 -0400s
95	53.06	5,040.70	20240712 10:05:41.171000 -0400s
21	53.17	1,116.57	20240712 10:09:49.901000 -0400s
10	53.17	531.70	20240712 10:09:49.901000 -0400s
10	53.17	531.70	20240712 10:09:49.901000 -0400s

90	53.17	4,785.30	20240712 10:09:49.901000 -0400s
10	53.17	531.70	20240712 10:09:49.902000 -0400s
79	53.17	4,200.43	20240712 10:09:49.902000 -0400s
61	53.2	3,245.20	20240712 10:13:02.046000 -0400s
100	53.27	5,327.00	20240712 10:14:14.073000 -0400s
100	53.27	5,327.00	20240712 10:14:14.073000 -0400s
100	53.27	5,327.00	20240712 10:14:14.073000 -0400s
100	53.27	5,327.00	20240712 10:14:14.073000 -0400s
100	53.27	5,327.00	20240712 10:14:14.073000 -0400s
100	53.27	5,327.00	20240712 10:14:14.073000 -0400s
100	53.27	5,327.00	20240712 10:14:14.073000 -0400s
100	53.41	5,341.00	20240712 10:22:55.101000 -0400s
100	53.41	5,341.00	20240712 10:22:55.101000 -0400s
30	53.46	1,603.80	20240712 10:25:06.060000 -0400s
30	53.46	1,603.80	20240712 10:25:06.060000 -0400s
30	53.46	1,603.80	20240712 10:25:06.060000 -0400s
15	53.46	801.90	20240712 10:25:06.060000 -0400s
100	53.46	5,346.00	20240712 10:25:06.060000 -0400s
100	53.46	5,346.00	20240712 10:25:06.060000 -0400s
85	53.46	4,544.10	20240712 10:25:06.060000 -0400s
200	53.46	10,692.00	20240712 10:25:06.060000 -0400s
100	53.46	5,346.00	20240712 10:25:06.060000 -0400s
20	53.46	1,069.20	20240712 10:25:06.060000 -0400s
10	53.46	534.60	20240712 10:25:06.061000 -0400s
1	53.46	53.46	20240712 10:25:06.061000 -0400s
79	53.46	4,223.34	20240712 10:25:06.061000 -0400s
18	53.63	965.34	20240712 10:28:40.999000 -0400s
82	53.63	4,397.66	20240712 10:28:40.999000 -0400s
54	53.63	2,896.02	20240712 10:28:41.000000 -0400s
10	53.63	536.30	20240712 10:28:41.000000 -0400s
36	53.63	1,930.68	20240712 10:28:41.000000 -0400s
100	53.55	5,355.00	20240712 10:33:01.044000 -0400s
100	53.55	5,355.00	20240712 10:33:01.044000 -0400s
100	53.55	5,355.00	20240712 10:36:47.337000 -0400s
100	53.55	5,355.00	20240712 10:36:47.337000 -0400s
3	53.56	160.68	20240712 10:40:59.205000 -0400s
100	53.56	5,356.00	20240712 10:40:59.205000 -0400s
97	53.56	5,195.32	20240712 10:40:59.205000 -0400s
100	53.56	5,356.00	20240712 10:40:59.205000 -0400s
100	53.56	5,356.00	20240712 10:40:59.205000 -0400s
100	53.56	5,356.00	20240712 10:40:59.205000 -0400s
100	53.56	5,356.00	20240712 10:40:59.205000 -0400s
100	53.56	5,356.00	20240712 10:40:59.205000 -0400s
100	53.36	5,336.00	20240712 10:46:47.435000 -0400s
100	53.36	5,336.00	20240712 10:46:47.435000 -0400s
100	53.36	5,336.00	20240712 10:46:47.435000 -0400s

63	53.49	3,369.87	20240712 10:55:53.954000 -0400s
37	53.49	1,979.13	20240712 10:55:53.954000 -0400s
100	53.49	5,349.00	20240712 10:55:53.954000 -0400s
100	53.49	5,349.00	20240712 10:55:53.954000 -0400s
100	53.49	5,349.00	20240712 10:55:53.954000 -0400s
100	53.49	5,349.00	20240712 10:55:53.954000 -0400s
100	53.49	5,349.00	20240712 10:55:53.954000 -0400s
100	53.49	5,349.00	20240712 10:55:53.954000 -0400s
100	53.5	5,350.00	20240712 11:01:32.255000 -0400s
100	53.44	5,344.00	20240712 11:01:51.942000 -0400s
100	53.44	5,344.00	20240712 11:01:51.942000 -0400s
80	53.44	4,275.20	20240712 11:01:51.942000 -0400s
20	53.44	1,068.80	20240712 11:01:51.942000 -0400s
100	53.31	5,331.00	20240712 11:06:00.518000 -0400s
100	53.27	5,327.00	20240712 11:06:00.518000 -0400s
96	53.08	5,095.68	20240712 11:12:55.246000 -0400s
4	53.08	212.32	20240712 11:12:55.246000 -0400s
71	53.08	3,768.68	20240712 11:12:55.246000 -0400s
100	53.08	5,308.00	20240712 11:12:55.246000 -0400s
29	53.08	1,539.32	20240712 11:12:55.246000 -0400s
100	53.08	5,308.00	20240712 11:12:55.246000 -0400s
100	53.14	5,314.00	20240712 11:24:27.422000 -0400s
100	53.14	5,314.00	20240712 11:24:27.422000 -0400s
100	53.14	5,314.00	20240712 11:24:27.422000 -0400s
100	53.14	5,314.00	20240712 11:24:27.422000 -0400s
100	53.14	5,314.00	20240712 11:24:27.422000 -0400s
100	53.14	5,314.00	20240712 11:24:27.422000 -0400s
100	53.14	5,314.00	20240712 11:24:27.422000 -0400s
100	53.14	5,314.00	20240712 11:24:27.422000 -0400s
100	53.13	5,313.00	20240712 11:24:27.423000 -0400s
48	53.13	2,550.24	20240712 11:24:27.423000 -0400s
52	53.13	2,762.76	20240712 11:24:27.423000 -0400s
94	53.04	4,985.76	20240712 11:44:41.336000 -0400s
6	53.04	318.24	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
16	53.04	848.64	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
84	53.04	4,455.36	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s
100	53.04	5,304.00	20240712 11:44:41.336000 -0400s

64	52.85	3,382.40	20240712 12:07:29.641000 -0400s
36	52.85	1,902.60	20240712 12:07:29.641000 -0400s
60	52.85	3,171.00	20240712 12:07:29.641000 -0400s
40	52.85	2,114.00	20240712 12:07:29.641000 -0400s
100	52.85	5,285.00	20240712 12:07:29.641000 -0400s
100	52.85	5,285.00	20240712 12:07:29.641000 -0400s
100	52.85	5,285.00	20240712 12:07:29.641000 -0400s
100	52.85	5,285.00	20240712 12:07:29.641000 -0400s
100	52.85	5,285.00	20240712 12:07:29.641000 -0400s
78	52.85	4,122.30	20240712 12:07:29.641000 -0400s
100	52.85	5,285.00	20240712 12:07:29.641000 -0400s
100	52.85	5,285.00	20240712 12:07:29.641000 -0400s
48	52.85	2,536.80	20240712 12:07:29.641000 -0400s
22	52.85	1,162.70	20240712 12:07:29.641000 -0400s
100	52.85	5,285.00	20240712 12:07:29.641000 -0400s
52	52.85	2,748.20	20240712 12:07:29.641000 -0400s
100	52.89	5,289.00	20240712 12:15:28.103000 -0400s
100	52.89	5,289.00	20240712 12:15:28.103000 -0400s
100	52.89	5,289.00	20240712 12:15:28.103000 -0400s
100	52.89	5,289.00	20240712 12:15:28.103000 -0400s
8	52.82	422.56	20240712 12:29:10.402000 -0400s
23	52.82	1,214.86	20240712 12:31:34.412000 -0400s
69	52.82	3,644.58	20240712 12:32:55.018000 -0400s
100	52.82	5,282.00	20240712 12:32:55.018000 -0400s
100	52.82	5,282.00	20240712 12:32:55.019000 -0400s
100	52.82	5,282.00	20240712 12:32:55.019000 -0400s
100	52.82	5,282.00	20240712 12:32:55.019000 -0400s
100	52.82	5,282.00	20240712 12:32:55.019000 -0400s
100	52.82	5,282.00	20240712 12:32:55.019000 -0400s
100	52.82	5,282.00	20240712 12:32:55.019000 -0400s
100	52.82	5,282.00	20240712 12:32:55.019000 -0400s
100	52.82	5,282.00	20240712 12:32:55.019000 -0400s
100	52.9	5,290.00	20240712 12:39:36.690000 -0400s
100	52.9	5,290.00	20240712 12:39:36.690000 -0400s
50	52.9	2,645.00	20240712 12:39:36.690000 -0400s
100	52.9	5,290.00	20240712 12:39:36.690000 -0400s
50	52.9	2,645.00	20240712 12:39:36.690000 -0400s
18	52.97	953.46	20240712 12:43:20.205000 -0400s
82	52.97	4,343.54	20240712 12:43:20.205000 -0400s
100	52.86	5,286.00	20240712 13:00:28.464000 -0400s
80	52.86	4,228.80	20240712 13:00:28.464000 -0400s
100	52.86	5,286.00	20240712 13:00:28.464000 -0400s
100	52.86	5,286.00	20240712 13:00:28.464000 -0400s
100	52.86	5,286.00	20240712 13:00:28.464000 -0400s
20	52.86	1,057.20	20240712 13:00:28.464000 -0400s
100	52.86	5,286.00	20240712 13:00:28.464000 -0400s
100	52.86	5,286.00	20240712 13:00:28.464000 -0400s

100	52.86	5,286.00	20240712 13:00:28.464000 -0400s
100	52.86	5,286.00	20240712 13:00:28.465000 -0400s
60	52.93	3,175.80	20240712 13:10:47.701000 -0400s
14	52.93	741.02	20240712 13:10:47.702000 -0400s
86	52.93	4,551.98	20240712 13:10:47.702000 -0400s
6	52.93	317.58	20240712 13:10:47.702000 -0400s
1	53.06	53.06	20240712 13:14:55.087000 -0400s
2	53.06	106.12	20240712 13:14:55.087000 -0400s
100	53.06	5,306.00	20240712 13:14:55.087000 -0400s
97	53.06	5,146.82	20240712 13:14:55.087000 -0400s
100	53.06	5,306.00	20240712 13:14:55.087000 -0400s
100	53.06	5,306.00	20240712 13:14:55.087000 -0400s
100	52.97	5,297.00	20240712 13:18:06.618000 -0400s
100	52.97	5,297.00	20240712 13:18:06.618000 -0400s
100	52.97	5,297.00	20240712 13:18:06.619000 -0400s
100	53.06	5,306.00	20240712 13:40:58.087000 -0400s
100	53.06	5,306.00	20240712 13:40:58.087000 -0400s
100	53.06	5,306.00	20240712 13:40:58.087000 -0400s
100	53.06	5,306.00	20240712 13:40:58.087000 -0400s
100	53.06	5,306.00	20240712 13:40:58.087000 -0400s
200	53.06	10,612.00	20240712 13:40:58.087000 -0400s
100	53.06	5,306.00	20240712 13:40:58.087000 -0400s
100	53.06	5,306.00	20240712 13:40:58.087000 -0400s
100	53.06	5,306.00	20240712 13:40:58.087000 -0400s
18	53.07	955.26	20240712 13:56:55.271000 -0400s
6	53.07	318.42	20240712 13:57:37.102000 -0400s
76	53.07	4,033.32	20240712 13:57:37.102000 -0400s
13	53.07	689.91	20240712 13:57:37.102000 -0400s
100	53.07	5,307.00	20240712 13:57:37.102000 -0400s
100	53.07	5,307.00	20240712 13:57:37.102000 -0400s
100	53.07	5,307.00	20240712 13:57:37.102000 -0400s
100	53.07	5,307.00	20240712 13:57:37.102000 -0400s
100	53.07	5,307.00	20240712 13:57:37.102000 -0400s
87	53.07	4,617.09	20240712 13:57:37.103000 -0400s
100	53.07	5,307.00	20240712 13:57:37.103000 -0400s
100	53.06	5,306.00	20240712 14:02:05.866000 -0400s
3	53.05	159.15	20240712 14:05:09.156000 -0400s
97	53.05	5,145.85	20240712 14:05:17.152000 -0400s
100	53.05	5,305.00	20240712 14:05:17.152000 -0400s
100	53.04	5,304.00	20240712 14:14:39.142000 -0400s
100	53.04	5,304.00	20240712 14:14:39.142000 -0400s
100	53.04	5,304.00	20240712 14:14:39.142000 -0400s
100	53.04	5,304.00	20240712 14:14:39.142000 -0400s
100	53.04	5,304.00	20240712 14:14:39.142000 -0400s
6	53.04	318.24	20240712 14:14:39.142000 -0400s
94	53.04	4,985.76	20240712 14:14:39.142000 -0400s

6	52.94	317.64	20240712 14:20:10.107000 -0400s
4	52.94	211.76	20240712 14:20:22.294000 -0400s
100	52.96	5,296.00	20240712 14:23:36.518000 -0400s
100	52.96	5,296.00	20240712 14:23:36.518000 -0400s
100	52.96	5,296.00	20240712 14:23:36.518000 -0400s
100	52.96	5,296.00	20240712 14:23:36.518000 -0400s
100	52.96	5,296.00	20240712 14:23:36.518000 -0400s
4	52.84	211.36	20240712 14:32:15.178000 -0400s
3	52.84	158.52	20240712 14:32:53.186000 -0400s
100	52.84	5,284.00	20240712 14:32:56.702000 -0400s
2	52.88	105.76	20240712 14:35:16.094000 -0400s
100	52.99	5,299.00	20240712 14:38:03.657000 -0400s
100	52.99	5,299.00	20240712 14:38:03.657000 -0400s
100	52.99	5,299.00	20240712 14:38:03.657000 -0400s
100	52.99	5,299.00	20240712 14:38:03.658000 -0400s
100	52.99	5,299.00	20240712 14:38:03.658000 -0400s
100	52.99	5,299.00	20240712 14:38:03.658000 -0400s
100	52.95	5,295.00	20240712 14:43:31.716000 -0400s
100	52.95	5,295.00	20240712 14:43:31.716000 -0400s
100	52.95	5,295.00	20240712 14:43:31.716000 -0400s
100	52.94	5,294.00	20240712 14:43:31.716000 -0400s
100	53.05	5,305.00	20240712 14:53:05.037000 -0400s
100	53.05	5,305.00	20240712 14:53:05.037000 -0400s
99	53.05	5,251.95	20240712 14:53:05.038000 -0400s
1	53.05	53.05	20240712 14:53:05.038000 -0400s
100	53.05	5,305.00	20240712 14:53:05.038000 -0400s
100	53.05	5,305.00	20240712 14:53:05.038000 -0400s
100	53.05	5,305.00	20240712 14:53:05.038000 -0400s
100	53.07	5,307.00	20240712 14:59:23.033000 -0400s
100	53.07	5,307.00	20240712 14:59:23.034000 -0400s
100	53.05	5,305.00	20240712 14:59:42.843000 -0400s
100	53.05	5,305.00	20240712 14:59:42.843000 -0400s
100	53.03	5,303.00	20240712 15:01:27.567000 -0400s
55	52.98	2,913.90	20240712 15:11:17.599000 -0400s
100	52.98	5,298.00	20240712 15:11:17.604000 -0400s
100	52.98	5,298.00	20240712 15:11:17.604000 -0400s
5	52.98	264.90	20240712 15:11:17.604000 -0400s
100	52.98	5,298.00	20240712 15:11:17.604000 -0400s
95	52.98	5,033.10	20240712 15:11:17.604000 -0400s
100	52.98	5,298.00	20240712 15:11:17.604000 -0400s
100	52.98	5,298.00	20240712 15:11:17.604000 -0400s
100	52.93	5,293.00	20240712 15:16:59.053000 -0400s
60	52.93	3,175.80	20240712 15:16:59.053000 -0400s
40	52.93	2,117.20	20240712 15:16:59.053000 -0400s
16	52.93	846.88	20240712 15:16:59.053000 -0400s
16	52.93	846.88	20240712 15:16:59.053000 -0400s

100	52.93	5,293.00	20240712 15:16:59.053000 -0400s
68	52.93	3,599.24	20240712 15:16:59.053000 -0400s
15	52.95	794.25	20240712 15:18:11.280000 -0400s
2	52.95	105.90	20240712 15:18:11.280000 -0400s
83	52.95	4,394.85	20240712 15:18:11.280000 -0400s
100	53	5,300.00	20240712 15:25:32.457000 -0400s
100	53	5,300.00	20240712 15:25:32.457000 -0400s
100	53	5,300.00	20240712 15:25:32.457000 -0400s
100	53	5,300.00	20240712 15:25:32.457000 -0400s
100	53	5,300.00	20240712 15:25:32.457000 -0400s
100	53	5,300.00	20240712 15:25:32.457000 -0400s
100	53	5,300.00	20240712 15:25:32.457000 -0400s
100	52.91	5,291.00	20240712 15:29:58.184000 -0400s
8	52.95	423.60	20240712 15:29:58.190000 -0400s
100	52.95	5,295.00	20240712 15:29:58.190000 -0400s
92	52.95	4,871.40	20240712 15:29:58.190000 -0400s
100	52.87	5,287.00	20240712 15:36:12.625000 -0400s
100	52.87	5,287.00	20240712 15:36:12.625000 -0400s
100	52.87	5,287.00	20240712 15:36:12.625000 -0400s
100	52.87	5,287.00	20240712 15:36:12.625000 -0400s
100	52.82	5,282.00	20240712 15:39:22.083000 -0400s
100	52.75	5,275.00	20240712 15:41:03.751000 -0400s
4	52.78	211.12	20240712 15:44:03.250000 -0400s
150	52.79	7,918.50	20240712 15:44:03.250000 -0400s
46	52.8	2,428.80	20240712 15:44:03.250000 -0400s
200	52.8	10,560.00	20240712 15:44:03.251000 -0400s
7	52.8	369.60	20240712 15:44:03.251000 -0400s
48	52.8	2,534.40	20240712 15:44:03.251000 -0400s
100	52.79	5,279.00	20240712 15:45:00.585000 -0400s
16	52.86	845.76	20240712 15:45:28.194000 -0400s
100	52.86	5,286.00	20240712 15:45:28.194000 -0400s
84	52.86	4,440.24	20240712 15:45:28.194000 -0400s
100	52.84	5,284.00	20240712 15:45:55.315000 -0400s
100	52.84	5,284.00	20240712 15:45:55.315000 -0400s
100	52.84	5,284.00	20240712 15:47:01.508000 -0400s
45	52.77	2,374.65	20240712 15:49:05.673000 -0400s
50	52.78	2,639.00	20240712 15:49:14.313000 -0400s
46	52.78	2,427.88	20240712 15:49:14.313000 -0400s

SDRL - Share Buybacks in the period Jul 8 to Jul 12 2024

Market Place: OSE / Currency: NOK

Volume	Price per share	Total	Date and Time (Oslo)
69	540.5	37,294.50	7/8/2024 9:29
141	540.5	76,210.50	7/8/2024 11:30
14	540.5	7,567.00	7/8/2024 11:30
26	540.5	14,053.00	7/8/2024 11:30
40	540.5	21,620.00	7/8/2024 11:30
2	542.5	1,085.00	7/8/2024 12:33
34	544.5	18,513.00	7/8/2024 12:38
33	544.5	17,968.50	7/8/2024 12:38
4	545.5	2,182.00	7/8/2024 12:53
70	545.5	38,185.00	7/8/2024 12:53
4	544	2,176.00	7/8/2024 12:53
16	544	8,704.00	7/8/2024 12:53
1	544	544.00	7/8/2024 12:53
116	544	63,104.00	7/8/2024 12:53
23	548	12,604.00	7/8/2024 14:02
2	548	1,096.00	7/8/2024 14:02
42	548	23,016.00	7/8/2024 14:02
50	548	27,400.00	7/8/2024 14:02
14	548	7,672.00	7/8/2024 14:02
2	544.5	1,089.00	7/8/2024 15:14
17	544.5	9,256.50	7/8/2024 15:14
33	544.5	17,968.50	7/8/2024 15:14
6	544.5	3,267.00	7/8/2024 15:18
26	544.5	14,157.00	7/8/2024 15:18
12	543.5	6,522.00	7/8/2024 15:28
3	543.5	1,630.50	7/8/2024 15:28
95	541	51,395.00	7/9/2024 9:19
87	543	47,241.00	7/9/2024 11:13
75	542	40,650.00	7/9/2024 11:29
118	541.5	63,897.00	7/9/2024 11:33
60	541.5	32,490.00	7/9/2024 11:33
74	539	39,886.00	7/9/2024 12:45
94	538.5	50,619.00	7/9/2024 14:03
97	538.5	52,234.50	7/9/2024 15:16
16	534	8,544.00	7/10/2024 9:34
30	537	16,110.00	7/10/2024 10:06
45	541	24,345.00	7/10/2024 11:01
11	542	5,962.00	7/10/2024 11:02
35	542.5	18,987.50	7/10/2024 11:02

102	542.5	55,335.00	7/10/2024 11:02
60	542.5	32,550.00	7/10/2024 11:02
47	543	25,521.00	7/10/2024 14:27
86	543	46,698.00	7/10/2024 14:27
31	543	16,833.00	7/10/2024 14:27
91	544	49,504.00	7/10/2024 14:35
146	541	78,986.00	7/10/2024 15:10
93	542	50,406.00	7/11/2024 9:18
95	545	51,775.00	7/11/2024 9:59
3	545.5	1,636.50	7/11/2024 10:18
92	549	50,508.00	7/11/2024 11:35
67	548	36,716.00	7/11/2024 11:44
1	546.5	546.50	7/11/2024 12:22
2	546.5	1,093.00	7/11/2024 12:22
30	547.5	16,425.00	7/11/2024 13:26
50	547.5	27,375.00	7/11/2024 13:26
89	547.5	48,727.50	7/11/2024 13:26
67	542	36,314.00	7/11/2024 15:12
38	542	20,596.00	7/11/2024 15:12
23	542	12,466.00	7/11/2024 15:12
16	561.5	8,984.00	7/12/2024 9:59
23	561.5	12,914.50	7/12/2024 9:59
56	561.5	31,444.00	7/12/2024 9:59
40	566	22,640.00	7/12/2024 10:24
21	566	11,886.00	7/12/2024 10:24
43	566	24,338.00	7/12/2024 10:24
23	565.5	13,006.50	7/12/2024 11:01
30	565.5	16,965.00	7/12/2024 11:01
24	565.5	13,572.00	7/12/2024 11:01
9	565.5	5,089.50	7/12/2024 11:01
90	562.5	50,625.00	7/12/2024 12:05
88	561	49,368.00	7/12/2024 13:55
88	563.5	49,588.00	7/12/2024 14:55
75	565.5	42,412.50	7/12/2024 15:27
8	565.5	4,524.00	7/12/2024 15:27
16	565.5	9,048.00	7/12/2024 15:27